

GREAT EASTERN ENERGY CORPORATION LTD.

Ref: GEECL/QHSE/2024/November /3539

November 27, 2024

The Director
Impact Assessment, Industry - II,
Monitoring Cell,
Ministry of Environment, Forests and Climate Change,
Agni - Block, "Indira Paryavaran Bhawan",
Jor Bagh Road, Aliganj,
New Delhi - 110 003

Sub.: Submission of Half Yearly Environmental Clearance Compliance Reports (April-2024 to September 2024) of Great Eastern Energy Corporation Ltd. ("GEECL")

Ref.:

1. Environment Clearance: F. No. J-11011/264/2007-IA II (I); dated June 28, 2007 (Exploration & Production of Coal Bed Methane ("CBM") in Ranging (South) Coal Field, West Bengal).
2. Environment Clearance: F. No. J-11011/352/2010-IA II (I); dated November 24, 2011 (Expansion of Exploration & Production of CBM in Raniganj (South), CBM Block, West Bengal) and Environmental clearance validity extension letter dated May 1, 2019, issued by MOEF&CC for extending the validity till November 24, 2021, and Amendment in Environmental Clearance letter dated November 25, 2020 issued by MOEF&CC. Validity extended due to outbreak of Covid till November 2022 by Government of India (MOEF&CC) Gazette notification S.O. 221(E) dated January 18, 2021.
3. OM dated April 12, 2022, in the EC vide letter No. J-11011/352/2010- IAI(I) dated November 24, 2011 till November 24, 2023, with all other terms and conditions remain unchanged.
4. Environment Clearance Identification. No. EC23B002WB112414, F. No. EN/T-II-1/043/2022, dated April 27, 2023 (Drilling of 20 shale gas exploratory Wells in Raniganj (South) CBM Block, West Bengal) issued by SEIAA West Bengal.

Dear Sir,

We are hereby submitting compliance status for the period of April 2024 to September 2024 for above above-referenced Environmental Clearances granted to our project Exploration & Production of CBM and Drilling of 20 shale gas exploratory wells in Raniganj (South), West Bengal.

Yours faithfully,

For **Great Eastern Energy Corporation Ltd.**


Jairam K. Shrinivasan
Joint President -Operations & HR

Enclosure: Annexure- I, II, and III (Half Yearly EC Compliance Status Reports along with Monitoring Reports as Appendix-A, B, C, D, E, F, G, H & I)

Copy to:

1. The IGF & Incharge, GOI, MoEF & CC, Integrated Regional Office, Kolkata, 1B-198, Salt Lake City, Sector III, Kolkata-700 106
2. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032
3. The Member Secretary, West Bengal State Pollution Control Board, Paribesh Bhawan, 10A, Block - LA, Sector-III, Salt Lake City, Kolkata - 700 106.
4. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office (EZ) A/3, Chandrashekharpur, Bhubaneswar -751023.



M-10, ADDA Industrial Estate, Asansol 713 305, West Bengal, India
T: +91-341-662 8800 F: +91-341-662 8811 www.geecl.com

CIN: U48985WB1992PLC095301

info@geecl.com

Annexure – I

Compliance Status of conditions of Environmental Clearance

F. NO. J-11011/264/2007-IA II (I) Dated: June 28, 2007

Monitoring Report - 35

Monitoring Period (April-2024 to September- 2024)

Part – I

DATA – SHEET

1.	Name of the project	Exploration & Production of Coal Bed Methane
2.	Clearance letter No. & date.	F. NO. J-11011/264/2007-IA II (I); Dated: June 28,2007
3.	Locations:	Raniganj (South) CBM Block
	a. District (s)	Paschim Bardhaman, Bankura, Purulia
	b. State (s)	West Bengal
4.	Address of Contact Person at Registered Office (with pin code) & telephone/fax numbers	Jairam K Shrinivasan Joint President - Operations & HR Great Eastern Energy Corporation Ltd., M-10, ADDA Industrial Estate, Asansol - 713 305, West Bengal. Ph. No. +91-341-662 8818 Cell No. +91-81700-03140 Fax: +91-341-662 8811 Email: jkshrini@geecl.com URL: www.geecl.com

Part – II

Sr. No.	Part A: Specific Conditions	Status of Compliance
I.	The company shall comply with the guidelines for disposal of solid waste, drill cutting, and drill fluids for onshore drilling operation notified vide GSR.546 (E) dated August 30, 2005.	The company is complying with the guidelines for disposal of solid waste, drill cutting and drill fluids as per notified vide GSR.546 (E) dated August 30, 2005.
II.	The company shall monitor Non-Methane Hydrocarbons (NMHC).	Online gas chromatograph has been installed in Gas Gathering Station. Methane & Non-Methane Hydrocarbons Report (Appendix-A), Ambient Air Quality Report (Appendix-B), Gas generator Exhaust (Flue gas) (Appendix-G) & Feed Gas Quality Analysis (Appendix-H) is attached.
III.	The drilling shall be restricted to the mine free area. The company shall use water-based drilling mud.	The drilling is done in mine free area only. Water based drilling mud is used.
IV.	The surface facilities shall be installed as per applicable codes and standards, international practices, and applicable local regulations.	The surface facilities have been installed as per applicable codes and standards, international practices, and applicable local regulations.
V.	The top soil removed wherever suitable shall be stacked separately for reuse during restoration process.	Top soil removed during well site development are stored separately and covered with polythene sheet. After drilling is over, this topsoil is re-used for restoring the area.
VI.	Drilling waste water including drill cuttings wash water shall be collected in disposal pit lined with HDPE lining, evaporated, or treated and shall comply with the notified standards for onshore disposal.	Waste drilling fluid and separated drill cuttings are stored onsite in impervious HDPE lined pit for natural evaporation and drying. Drill cuttings are evaluated as per US EPA 1311 and have been found to be non-toxic. After completion of operation, dried drill cuttings are covered in place using top soil stored previously. The surface is graded to prevent water accumulation, and the area is re-vegetated with native species to reduce the potential for erosion and promote full recovery of the area's ecosystem. Drill cutting reports have been submitted previously. No drilling activity since September 11, 2013. After restarting drilling operation, latest drill cutting reports shall be submitted in the compliance report.
VII.	The company shall take necessary measures to prevent fire hazards and soil remediation as needed. At place of ground flaring, the flaring pit shall be lined with refractory bricks and efficient burning system shall be provided. In case of overhead flare stacks, the stack height shall be provided as per the norms to minimize gaseous emission and heating load during flaring.	Portable fire extinguishers are available at every well site. Gas gathering station has been provided with fire hydrant system and sprinkler system. Automatic gas detection system has also been provided in GGS as stipulated in Oil Mines Regulation 2017 and OISD 189. Overhead stack of 30 meters has been provided at GGS.
VIII.	The produced water during drilling operations shall be collected in the lined waste pits to prevent ground water contamination. The water shall be treated to the prescribed standards before disposal. The treated produced water shall be used for	Produced well water is collected in lined pit and analyzed quarterly as per CBCB guidelines. Analysis reports attached as (Appendix-C). The production well water is being re- used in fire hydrant system and other operations.

	irrigation, pisciculture and ground water recharge etc.	
IX.	The company shall take necessary measures to reduce noise levels at the drill site by providing mitigation measures such as proper acoustic enclosures to the DG set and meet the norms notified by the MoEF&CC. Height of all the stacks/vents shall be provided as per the CPCB guidelines.	<p>DG sets with acoustic enclosures are operated at the drill site. DG set stack monitoring is done on monthly basis. Stack emission report for DG sets operating at GEECL's sites is attached (Appendix-D)</p> <p>At production wells gas generators are used to reduce use of fossil fuel. The company has taken the following measures to reduce noise levels:</p> <ul style="list-style-type: none"> • Provision of silencers & Thermal claddings. • Regular maintenance & inspection of machinery & equipment. • Use of ear plugs/muffs.
X.	The design, material of construction, assembly, inspection, testing and safety aspects of operation and maintenance of pipeline and transporting the oil shall be governed by ASME/ANSI B 31.8/B31.4 and OISD standard 141.	<p>GEECL is following the standards for design, material of construction, assembly, inspection, testing and safety aspects of operation and maintenance of pipeline and transporting the Coal Bed Methane gas:</p> <p>ASME/ANSI B 31.8-Gas Transmission & Distribution Piping System</p> <p>OISD-STD-226-Natural Gas Transmission Pipelines and City Gas Distribution Networks</p> <p>OISD-STD-141-Design and Construction requirements for cross Country Hydrocarbon Pipeline.</p> <p>API 1102-Recommended Practice for Steel Pipelines crossing Rail, Road, and Highways</p> <p>API 1104-Standard for Welding Pipelines and Related facilities</p> <p>API-1107-Recommended Pipeline Maintenance Welding Practices</p> <p>API 5L-Specification for Line Pipes</p> <p>API 6D-Specifications for pipeline valves</p> <p>NACE-SP-01-69-2007 (formerly Known as NACE-RP-01-69-2002)-Recommended Practice Control of External Corrosion on Underground or Submerged Metallic Piping Systems.</p>
XI.	Annual safety audit should be conducted for the initial three years by an independent agency and report submitted to this Ministry of ensuring the strict compliance of safety regulations on operation and maintenance.	This is complied.
XII.	The project authorities should plant a minimum of 10 trees for every cut along the pipeline route in consultation with the local Divisional Forest Officer (s).	<p>Due care is being taken that felling of trees is prevented.</p> <p>However, the condition will be complied if there is a need of tree felling in pipeline route.</p>
	The project authorities should install SCADA system with dedicated optical fiber-based telecommunication link for safe operation of pipeline and Leak Detection System. Additional sectionalizing valves in the residential areas and sensitive installations should be provided to	GPRS based SCADA System has been installed at GEECL's Gas Gathering Station for well site flow monitoring, optical fiber-based SCADA system is installed at Gas Gathering Station for operational control and GPRS based SCADA system implemented for custody transfer. A

XIII.	prevent the amount of gas going to the atmosphere in the event of pipeline system for internal corrosion monitoring. Coating and impressed current cathodic protection system should be provided to prevent external corrosion.	similar system is being extended for SV stations. Sectionalizing Valves (SV) has been provided as per codes i.e., OISD 226 and ASME B 31.8. Permanent pigging facility is available for some of the sections of pipeline and temporary pigging arrangement is planned for section other than above. Additionally for internal corrosion monitoring GEECL has conducted the pipeline health check-up survey to identify the steel thickness losses and coating in February 2016. As per standard NACE RP-0502 (2002) (Pipeline external corrosion direct assessment methodology and its clause C1.3.4 selection of indirect inspection tools and sub clause 3.4.1.3) pipeline coating and cathodic protection system has been provided with 'Impressed Current Cathodic Protection' (ICCP) for steel pipelines to prevent external corrosion.
XIV.	The project authorities shall patrol and inspect the pipeline regularly for detection of faults as per OISD guidelines and continuous monitoring of pipeline operation by adopting non-destructive method (s) of testing as envisaged in the EMP. Pearson survey and continuous potential survey should be conducted at regular intervals to ensure the adequacy of cathodic protection system.	GEECL conducts patrolling once in 15 days for downstream pipeline & Once in a month for upstream Pipeline with resolute patrolling staff. Monitoring and maintenance schedule of pipeline has been implemented as per OISD STD-130, 145, 188 & 226. For adequacy of cathodic protection system, CAT/Pearson survey and DCVG/continuous potential survey are being conducted as per the frequency given in OISD 226. The last survey was conducted in FY-2019-20. Next survey is scheduled in 2024-25 and will be completed on or before March 31,2025. Apart from above GEECL takes PSP reading at feeding points on fortnightly basis.
XV.	Proper infrastructure and sanitation facilities shall be provided for the construction workers during construction. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Infrastructure and sanitation facilities have been provided during entire construction jobs and shall be continued for the drilling of remaining wells after restart of drilling activity.
XVI.	The company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as need.	Portable fire extinguishers and fire hydrant systems are available to prevent fire hazards. Daily inspection of equipment is done to check oil leak from equipment's. Drip pans are provided to prevent oil spills.
XVII.	The project proponent shall also comply with the environmental protection measures and safeguards recommended in the EIA/EMP/risk analysis report as well as the recommendations of the public hearing panel.	Being Complied.

Sr. No.	Part B General Conditions	Status of Compliance
I	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	GEECL is observing and complying with all the applicable laws and regulations lay down by the West Bengal State Pollution Control Board and the State Government from time to time.
II.	No further expansion or modification in the project shall be conducted without prior approval of the Ministry of Environment & Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Prior Environmental Clearance has been obtained for expansion project of an additional 200 Wells and associated facilities for compression and distribution of CBM gas. (Ref F. No. J-11011/352/2010-IA II (I), November 24, 2011 and Environmental clearance validity extension letter dated May 1, 2019 issued by MOEF&CC for extending the validity till November 24, 2021 and Amendment in Environmental Clearance letter dated November 25, 2020 issued by Ministry of Environment, Forest and Climate Change). Furthermore, existing amended EC extended till November 24, 2022, by Government of India (Ministry of Environment, Forest, and Climate Change) Gazette notification S.O. 221(E) dated January 18, 2021. OM dated April 12, 2022, issued towards extension of the validity of the EC No. J-11011/352/2010-IA II (I) by 1 year till November 24, 2023, with all other terms and conditions remaining unchanged. The Half yearly compliance is being submitted for both Environmental Clearances.
III.	The project authorities must comply with the rules and regulations under Manufacture, Storage, and Import of Hazardous Chemicals Rules, 2000 as amended subsequently. Prior approvals from Chief Inspector of Factories, Chief Controller of Explosive, Fire Safety Inspectorate etc. must be obtained, wherever applicable.	This is complied and shall further be complied during project operation.
IV	The project authorities must comply with the rules and regulations about handling and disposal of Hazardous Wastes (Management and Handling) Rules, 1989/2003 wherever applicable. Authorization from the State Pollution Control Board must be obtained for collections/ treatment/ storage/ disposal of hazardous wastes.	Being complied.
V.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	Cladding and acoustic enclosures are provided at compressor areas to bring further noise level to acceptable level. Periodic upkeep of the above measures will be taken up to mitigate the issue of noise level in specific locations. Further, at the boundary of both GGS we have acceptable level of noise as per EPA rules. Additional measures for providing Earmuffs and earplugs are available close to compressor and GG set area. Noise Monitoring Report is attached (Appendix-E)

VI.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities must be set to conduct the environmental management monitoring functions.	A dedicated Environment Management Cell is formed within the Organization for constant Improvement, Monitoring, Safeguarding, and reporting of environmental Activities. The environment management cell comprises of Assistant General Manager Geology, Assistant General Manager -QHSE and Manager- Safety Environmental monitoring and the laboratory facility of Mitra S. K. Private Limited, approved by MoEF&CC & West Bengal State Pollution Control Board is being utilized. However, during Drilling operations a separate laboratory will be made available at site as per requirement for testing and monitoring purpose.
VII.	The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purposes.	Separate Health, Safety and Environment budget is allocated every year pertaining to implementation of conditions Stipulated by MoEF&CC and State Government and are not diverted for any other purpose.
VIII.	The Regional Office of this Ministry/Central Pollution Control Board/State Pollution Control Board will monitor the stipulated conditions. A six-monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Being complied/shall further be complied.
IX.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by Ministry and copies of the clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Forests at http://www.envfor.nic.in . This shall be advertised within seven days of the issues of this letter in at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned.	Press advertisement published on July 06, 2007, in Bangla newspaper and The Business Standard (English), copy submitted to MoEF&CC, Regional office Bhubaneswar vide our letter dated November 16, 2009.
X.	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and financial approval of the project by the concerned authorities and the date of commencing the land development work.	The same has been complied.
XI.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management & Handling) Rules, 1989, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules	The company is complying with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management & Handling) Rules, 1989, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

Annexure - II
Compliance Status of conditions of Environmental Clearance
F. NO. J-11011/352/2010-IA II (I) November 24, 2011
Monitoring Report - 26
Monitoring Period (April-2024 to September-2024)

Part – I

DATA SHEET

1.	Name of the project	Expansion of Exploration & Production of Coal Bed Methane Gas in Raniganj (South) CBM Block, West Bengal by M/s Great Eastern Energy Corporation Ltd.
2.	Clearance letter No. & date.	F. NO. J-11011/352/2010-IA II (I), November 24, 2011, and Environmental clearance validity extension letter dated May 01, 2019, issued by Ministry of Environment, Forests and Climate Change for extending the validity till November 24, 2021, and Amendment in Environmental Clearance letter dated November 25, 2020, issued by Ministry of Environment, Forest, and Climate Change. Furthermore, existing amended EC extended till November 24, 2022, by Government of India (Ministry of Environment, Forest, and Climate Change) Gazette notification S.O. 221(E) dated January 18, 2021. OM dated April 12, 2022, issued towards extension of the validity of the EC No. J-11011/352/2010-IA II (I) by 1 year till November 24, 2023, with all other terms and conditions remaining unchanged.
3.	Locations:	Raniganj (South) CBM Block
	a. District (s)	Paschim Bardhaman, Bankura & Purulia
	b. State (s)	West Bengal
4.	Address of Contact Person at Registered Office (with pin code) & telephone/fax numbers	Jairam K Shrinivasan Joint President- Operations & HR Great Eastern Energy Corporation Ltd., M-10, ADDA Industrial Estate, Asansol - 713 305, West Bengal. Ph. No. +91-341-662 8818 Cell No. +91-81700-03140 Fax: +91-341-662 8811 Email: jkshrini@geeel.com URL: www.geeel.com

Part – II

Sr. No.	Part A: Specific Conditions	Status of Compliance
I.	All the specific conditions and general conditions specified in the earlier environmental clearance letters accorded vide Ministry's letter no. J- 11011/264/2007-IA II (I) dated June 28, 2007, shall be complied.	The company is complying with all the specific conditions and general conditions specified in the earlier environmental clearance letter accorded vide Ministry's letter no. J-11011/264/2007-IA II (I) dated June 28, 2007, and half yearly compliance reports are being submitted regularly to MoEF&CC New Delhi, Bhubaneswar, WBPCB and CPCB.
II.	As proposed, only 200 pilot-cum-production wells shall be drilled up to a depth of 1100m. No additional wells shall be drilled without prior permission from this Ministry.	200 pilot-cum-production wells shall be drilled up to a depth of 1100m. In case of additional wells, prior permission from the Ministry shall be taken.
III.	As proposed, no forest land shall be used for the proposed facilities. No Forest land shall be used for installation of Group Gathering Stations and Pipeline laying in the proposed locations.	No forest land shall be used for the proposed facilities and laying of pipeline.
IV.	Permission and recommendation of the State Forest Department shall be obtained regarding impact of the proposed exploratory and production wells on the Biharinath PF and Gourangi Pahar PF and all the recommendation shall be implemented in a time bound manner.	Permission and recommendation of the West Bengal Forest Department obtained and submitted on July 12, 2012, along with Monitoring Report 01. No CBM Exploration & Production activity is conducted near Biharinath sector and Poradiha sector which covers Biharinath PF and Gourangi Pahar PF. Recommendation of permission shall be implemented in time bound manner if drilling activity is planned near this sector.
V.	Compensation for the land acquisition to the land oustees, if any, and for standing crops shall be paid as per the National Resettlement and Rehabilitation Policy (NRRP) 2007 or State Government norms. It may be ensured that compensation provided shall not be less than the norms of NRRP, 2007.	Lands are purchased from the owner on need basis at the prevailing market price. Forest land will not be acquired. Compulsory land acquisition under the Land Acquisition Act 1984, as amended till date will not be resorted to.
VI.	All the surface facilities including GGS, CGS, and SV Station shall be as per applicable codes and standard, international practices and applicable local regulation.	Both GGS facilities are as per Oil Mines Regulation 1984 and CGS facility having CNG filling station is as per OISD-STD-179 and pipeline design facility is as per ASME B31.8.
VII.	Ambient air quality shall be monitored near the closest human settlements as per the National Ambient Air Quality Emission Standard (NAAQES) issued by the Ministry vide G.S.R. No. 826(E) dated 16 th November 2009 for PM10, PM2.5, SO2, NOx, CO, CH4, VOCs, HC, non-methane HC etc. Efforts shall be made to improve the ambient air quality of the area.	Ambient Air Quality is being monitored for existing & expansion project. (Appendix-B)

VIII.	The company shall monitor data on methane and non-methane hydrocarbon at the drilling site, GGS, CGS, and at the SV station from where the gas is supplied to the customer.	This is complied. Report submitted as Appendix-A, B, G & H
IX.	Mercury shall be analyzed in air, water and drill cutting twice during drilling period.	It is unlikely that there will be any mercury in the emissions, effluents, and drill cuttings from the proposed project during drilling period. Also, in previous monitoring of CBM produced water and drill cutting, mercury has never been reported. However, GEECL is monitoring mercury in air, water & drill cutting (Ref. Appendix-B & C)
X.	The flare system shall be designed as per good oil field practices and Oil Industry Safety Directorate (OISD) guidelines. The company shall take measures to prevent fire hazards and soil remediation as needed. At the place of ground flaring, the flare pit shall be lined with refractory bricks and an efficient burning system. In case of overhead flare stacks, the stack height shall be provided as per the regulatory requirements and emissions from stacks shall meet the MoEF&CC/CPCB guidelines.	The flare system is designed based API 521 and 537. Measures to prevent fire hazards are in place. Automatic gas detection system has been installed at GGS. Elevated flare system with stack height 30 meter as per CPCB guidelines has been installed at GGS.
XI.	The company shall make the arrangement for control of noise from drilling activity, compressor station and DG sets by providing necessary mitigation measures such as proper acoustic enclosures to DG sets and meets the norms notified by the MoEF&CC. Height of all the stacks/vents shall be as per the CPCB guidelines.	DGs are having acoustic enclosure with stack height in accordance with CPCB guidelines. Compressors are having in built system for control of noise and vibration. Operators at compressor area are provided with earmuffs. DG set stack monitoring is done on monthly basis. Stack emission report for DG sets operating at GEECL's sites is attached (Appendix-D). All the DG sets have been replaced with GG sets at all producing well sites to reduce the environment footprint. Gas genset Exhaust report attached as (Flue gas) (Appendix-G) The company has taken the following measures to reduce noise levels: <ul style="list-style-type: none"> • Provision of silencers & Thermal claddings. • Regular maintenance & inspection of machinery & equipment. • Use of ear plugs/muffs.
XII.	The company shall comply with the guidelines for disposal of solid waste; drill cutting and drilling fluids for onshore drilling operation notified vide GSR 546 (E) dated August 30, 2005.	The Company is complying with the guidelines for disposal of solid waste, drill cutting and drill fluids as per notified vide GSR.546 (E) dated August 30, 2005.

XIII.	Total fresh water requirement from local approved water suppliers shall not exceed 75m ³ /day for each well during drilling phase and 2m ³ /day for each GGS & 1m ³ /day at each CGS during operation phase and prior permission shall be obtained from the concerned Authority and a copy submitted to the Ministry's Regional Office at Bhubaneswar. No ground water shall be used without permission of CGWA/SGWA.	GEECL re-uses CBM Produced water in its operation like fire hydrant and other operation.
XIV.	During drilling and development of wells, wastewater (@ 64 m ³ per well) will be segregated into waste drilling fluid and drill cuttings. Drill cutting shall be stored onsite impervious HDPE lined pit for solar evaporation and drying. Effluent shall be properly treated and treated effluent shall conform to CPCB standards. The produced water @ 25m ³ /day/well shall be stored onsite HDPE lined pit for solar evaporation and reuse in drilling of new wells and fire hydrant system. No effluent shall be discharged outside the premises and 'Zero' discharge concept shall be adopted. Domestic effluent shall be disposed of through septic tank followed by soak pit.	Drill cutting is stored onsite impervious HDPE lined pit for solar evaporation and drying. The produced water is stored onsite HDPE lined pit for solar evaporation and reuse in drilling of new wells and fire hydrant system. domestic effluent is disposed of through septic tank followed by soak pit.
XV.	Ground water quality monitoring shall be done to assess if produced water storage or disposal has any effect.	Ground water quality monitoring report is attached as Appendix F .
XVI.	Drilling wastewater including drill cuttings, wash water shall be collected in disposal pit lined with HDPE lining, evaporated, or treated and shall comply with the notified standards for onshore disposal on land. Proper toxicological analysis shall be done to ensure there is no hazardous material. The treated wastewater shall be reused in other wells during drilling operations. Copy of toxicological analysis shall be submitted to Ministry's Regional Office at Bhubaneswar.	No drilling activity since September 11, 2013. After restart of drilling operation, latest drill cutting reports shall be submitted in the compliance report.
XVII.	Only water based drilling mud shall be used. The drilling mud shall be recycled. Hazardous waste shall be disposed of as per Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers/reprocesses.	Water based drilling media is being/shall be used. Hazardous waste, Used Oil, Waste containing oil and Used oil filters is disposed through authorized recyclers.
	The company shall conduct long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be	To date, no surface subsidence has been associated with coal bed methane development in USA. DGH initiated a study on probable land subsidence due to extraction of oil & natural

XVIII.	submitted six monthly to the Ministry and its Regional Office at Bhubaneswar.	<p>gas from shallow reservoir in Bheema Gas field (Block CB-ONN-2000/2), near Surat Gujarat, where the gas reservoir is at a shallow depth (about 200 meters below the ground surface level), apprehending a possibility of land subsidence.</p> <p>Land subsidence investigation conducted by CMRI from August 2004 to June 2005 led to the conclusion that there is not any land subsidence movement following 1.6 - 4.7 kg/cm² pressure depletion at shallow gas reservoirs. Copy of DGH reports submitted with monitoring report - 1 of expansion project.</p> <p>However, as mentioned in certified compliance Report Letter No. 102-157/12/EPE/134 Dated 02.05.2024. Work Order no. (GEECL/5100010357) dated 01.08.2024 given to IISER, Mohali for the continuation of the study (Long-term Land subsidence Study) for Raniganj South CBM project for 210 sq. Km area since 2019 to present date. Report is attached in Appendix -I</p>
XIX.	The company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. At place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	System for prevention of fire hazards, containment of oil spill and soil remediation is in place. There is no ground flaring. Overhead flare system is provided with knockout drums and same is adopted for expansion project.
XX.	The project authorities shall install SCADA system with dedicated optical fiber-based telecommunication link for safe operation of pipeline and Leak Detection System. Additional sectionalizing valves in the residential area and sensitive installations shall be provided to prevent the amount of gas going to the atmosphere in the event of pipeline failure. Intelligent pigging facility shall be provided for the entire pipeline system for internal corrosion monitoring. Coating and impressed current Cathodic protection system shall be provided to prevent external corrosion.	GPRS based SCADA system has been installed at GEECL's Gas Gathering Station for well site flow monitoring, optical fiber-based SCADA system is installed at Gas Gathering Station for operational control and GPRS based SCADA system implemented for custody transfer. The similar system is being extended for SV stations. Sectionalizing Valves (SV) has been provided as per codes i.e., OISD 226 and ASME B 31.8. Permanent pigging facility is available for some of the section of pipeline and temporary pigging arrangement is planned for section other than above. Additionally for internal corrosion monitoring GEECL has conducted the pipeline health check-up survey to identify the steel thickness losses and coating in February 2016. As per standard NACE RP-0502 (2002) (Pipeline external corrosion direct assessment methodology and its clause Cl.3.4 selection of indirect inspection tools and sub clause

		3.4.1.3) pipeline coating and cathodic protection system has been provided with 'Impressed Current Cathodic Protection' (ICCP) for steel pipelines to prevent external corrosion.
XXI.	The company shall take necessary measures to prevent fire hazards and soil remediation as needed. The stacks of adequate height shall be provided to flare the gas, if required, to minimize gaseous emissions and heat load during flaring.	These conditions are complied with and shall be complied for expansion project also. Fire protection measures are available at all well sites as per OISD 189. Flare stack of 30 meter as per CPCB guidelines provided.
XXII.	To prevent underground coal fire, preventive measures shall be taken for ingress of ambient air during withdrawal inside the coal seams by adopting technologies including vacuum suction. Gas detectors for the detection of CH ₄ and H ₂ S shall be provided.	There will be no underground coal fire during drilling as the drilling media is water based. Portable gas detectors for methane are available during drilling operation. Coal Bed Methane gas does not contain H ₂ S.
XXIII.	The design, material of construction, assembly, inspection, testing and safety aspects of operation and maintenance of pipeline and transporting the natural gas/oil shall be governed by ASME/ANSI B 31.8/B31.4 and OISD standard 141. Pipeline wall thickness and minimum depth of burial at river crossing and casings at rails, major road crossings should be in conformity with ANSI/ASME requirements.	These conditions are being complied.
XXIV.	Annual safety audit shall be conducted for the initial three years by an independent agency and report submitted to this Ministry for ensuring the strict compliance of safety regulations on operations and maintenance.	This is complied.
XXV.	The project authorities shall patrol and inspect the pipeline regularly for detection of faults as per OISD guidelines and continuous monitoring of pipeline operation by adopting non-destructive method (s) of testing as envisaged in the EMP. Pearson survey and continuous potential survey should be conducted at regular intervals to ensure the adequacy of Cathodic protection system.	These conditions are being complied.
XXVI.	The company shall develop a contingency plan for H ₂ S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H ₂ S detectors in locations of high risk of exposure along with self-containing breathing apparatus.	Coal Bed Methane gas does not contain H ₂ S.
XXVII.	Adequate well protection system shall be provided like Blow Out Preventer (BOP), or diverter systems as required based on the geological formation of the blocks.	BOP shall be used in future field development campaigns.

XXVIII.	The top soil removed shall be stacked separately for reuse during restoration process.	Top soil excavated from air pit and mud pit are stored separately and covered with plastic and are being re-utilized at well site at floor bed area.
XXIX.	Emergency Response Plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India. Recommendations mentioned in the Risk Assessment & Consequence Analysis and Disaster Management Plan shall be strictly followed.	Emergency Preparedness and Response Plan are in place and implemented for existing & expansion project.
XXX.	Project proponent shall comply with the environment protection measures and safeguards recommended in the EIA/EMP/risk analysis report/disaster management plan.	This is being Complied.
XXXI.	The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of the well and drilling site shall be restored in original condition. If no economic quantity of hydrocarbon is found a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	This shall be followed in case any abandonment is required. OISD Standard 175 shall be followed in case of abandonment.
XXXII.	Occupational health surveillance of the workers shall be conducted as per the prevailing Acts and Rules.	GEECL has policy for pre-employment medical check-ups. Subsequent periodic examinations are undertaken for those employees who participate in operational work where health problems are likely to occur. All major operational activities for well drilling and completion are outsourced to competent national and international service providers. Occupational Health Surveillance of work force of service provider is ensured in accordance with their company's policy.
XXXIII.	Company shall adopt Corporate Environment Policy as per the Ministry's O.M. No. J-11013/41/2006-IAII (I) dated April 26, 2011, and implemented.	GEECL has implemented and is certified for ISO 14001:2015 (Environment Management System), ISO 45001:2018 (Occupational Health & Safety Management System) and ISO 9001:2015 (Quality Management System). These International Management Systems contains the intent of Corporate Environment Policy as per the Ministry's O.M. No. J-11013/41/2006-IA. II (I) dated April 26, 2011.

XXXIV.	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, Safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Local work forces are engaged during site developments which are provided with temporary sanitation arrangement, drinking water etc. during the job.
Sr. No.	Part B General Conditions	Status of Compliance
I.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	GEECL is observing and complying with all the applicable laws and regulations lay down by the West Bengal State Pollution Control Board and the State Government from time to time.
II.	No further expansion or modification in the project shall be carried out without prior approval of the Ministry of Environment & Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modification in the project shall be conducted without prior approval of the Ministry of Environment, Forests and Climate Change.
III.	The project authorities must comply with the rules and regulations under Manufacture, Storage, and Import of Hazardous Chemicals Rules, 2000 as amended subsequently. Prior approvals from the Chief Inspector of Factories, Chief Controller of Explosive, Fire Safety Inspectorate etc. must be obtained, wherever applicable.	This is complied and shall further be complied during project operation.
IV.	The project authorities must comply with the rules and regulations regarding handling and disposal of Hazardous Wastes (Management and Handling) Rules, 2008 wherever applicable. Authorization from the State Pollution Control Board must be obtained for collections/treatment/storage/disposal of hazardous wastes.	Authorization received from WBPCB.
V.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	Cladding and acoustic enclosures are provided at compressor areas to bring further noise level to an acceptable level. Periodic upkeep of the above measures will be taken up to mitigate the issue of noise level in specific locations. Further, at the boundary of both GGS we have acceptable level of noise as per EPA rules. Additional measures for providing Earmuffs and earplugs are available close to compressor and GG set area. Noise Monitoring Report is attached as Appendix-E

VI.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities must be set to conduct the environmental management monitoring functions.	A dedicated Environment Management Cell is being formed Within the Organization for constant Improvement, Monitoring, Safeguarding, and reporting of environmental Activities. The environment management cell comprises of an Assistant General Manager Geology, Assistant General Manager -QHSE and Manager- Safety Environmental monitoring and laboratory facility of Mitra S. K. Private Limited, approved by MoEF&CC & West Bengal State Pollution Control Board is being utilized. However, during Drilling operations separate laboratory made available at site for testing and monitoring purpose.
VII.	The Company shall earmark sufficient funds for environment protection and pollution control measures shall be used to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds provided shall not be diverted for any other purposes.	Adequate funds have been provided for implementing the conditions stipulated by the MoEF&CC & WBPCB and the State Government and are not diverted for any other purpose.
VIII.	The Regional Office of this Ministry/Central Pollution Control Board/State Pollution Control Board will monitor the stipulated conditions. A six-monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Six monthly compliance report of expansion project is being/shall be submitted to authorities.
IX.	The proponent shall send a copy of clearance letter to Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body, and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	This is complied.
X.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the regional office of the MoEF&CC, the respective Zonal office of CPCB and the WBPCB. The criteria pollutant levels namely PM10, SO2, NOx, HC (Methane and Non-methane), VOCs (ambient level as well as stack emissions) or critical Sectoral parameters, indicated for the projects shall be monitored and displayed at convenient location	Display of critical sectoral parameters for the project like ambient levels, stack emissions are being displayed at strategic locations.

	near the main gate of the company in the public domain.	
XI.	The project proponent shall also submit six monthly reports on the status of the compliances of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC, the respective Zonal office of CPCB and WBPCB. The Regional Office of this Ministry/CPCB/WBPCB shall monitor the stipulated conditions.	This is being complied.
XII.	The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall be sent to the respective Regional offices of the MoEF&CC by e-mail.	This is being complied/shall further be complied.
XIII.	The Project Proponent shall inform the public that the project has been accorded environmental clearance by Ministry and copies of the clearance letter are available with the WBPCB and may also be seen at Website of the Ministry of Forests at http://www.envfor.nic.in . This shall be advertised within seven days of the issues of this letter in at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the regional office.	This has been complied. Copy submitted on July 12, 2012, with Monitoring Report - 1 for the EC letter no. F. NO. J-11011/352/2010-IA II (I) November 24, 2011.
XIV.	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	This has been complied. Copy submitted on July 12, 2012, with Monitoring Report-1 for the EC Letter no. F. NO. J-11011/352/2010-IA II (I) November 24, 2011.
XV.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (management & Handling) Rules, 1989, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	The company is complying with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management & Handling) Rules, 1989, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

Annexure - III
Compliance Status of conditions of Environmental Clearance
F. No. EN/T-II-1/043/2022, EC No. EC23B002WB112414(B2) April 27, 2023

Monitoring Report - 3
Monitoring Period (April-2024 to September-2024)

DATA SHEET

1.	Name of the project	Drilling of 20 Shale gas Exploratory Wells in Raniganj (South) CBM Block, West Bengal by Great Eastern Energy Corporation Limited.
2.	Clearance letter No. & date.	F. No. EN/T-II-1/043/2022 Proposal No. SIA/WB/IND2/278404/2022 June 16, 2022 and Environmental clearance no. EC23B002WB112414, issued by West Bengal SEIAA on April 27, 2023.
3.	Locations:	Raniganj (South) CBM Block
	a. District (s)	Paschim Bardhaman, Bankura & Purulia
	b. State (s)	West Bengal
4.	Address of Contact Person at Registered Office (with pin code) & telephone/fax numbers	Jairam K Shrinivasan Joint President- Operations & HR Great Eastern Energy Corporation Ltd., M-10, ADDA Industrial Estate, Asansol - 713305, West Bengal. Ph. No. +91-341-662 8818 Cell No. +91-81700-03140 Fax: +91-341-662 8811 Email: jkshrini@geecl.com URL: www.geecl.com

Sr. No.	I. Statutory Compliance	Status of Compliance
i.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	No forest land shall be used for the proposed facilities and laying of pipeline.
ii.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable
iii	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site- Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule -I species in the study area)	Not Applicable
iv.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board / Committee.	The company has obtained Consent to Establish (Memo No. 666-2N-334/2005 (E) Dated December 29,2022) & Consent To Operate (Consent Letter No. CO118225) Dated April 30,2019 for existing & expansion projects. Consent to Establish shall be obtained for this project before starting drilling operation and Consent to Operate (WBPCB/4783919/2024) have been renewed for existing & expansion project.
v.	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans- Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.	The company has necessary authorization under the provision of hazardous and other wastes required under the hazardous and other wastes (Management and Trans-Boundary Movement) Rule ,2016. Ref. No. WBPCB/ 3654353/2023.
vi.	The project proponent shall obtain and adhere to statutory clearance under the Coastal Regulation Zone Notification, 2011, as applicable.	The project is not in Coastal Regulation Zone.
Sr. No.	II. Air quality Monitoring and preservation	Status of Compliance
i.	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No.826(E) dated 16th November 2009 shall be complied with.	The company is complying with the National Ambient Air Quality Emission standard issued by the Ministry vide G.S.R.No.826 (E) dated 16 th November 2009. Ambient Air Quality Monitoring is being carrying out for existing project (Attached report Appendix-B)
	To control source and the fugitive emissions, suitable pollution control devices shall be	Not applicable.

ii.	installed to meet the prescribed norms and / or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB / SPCB guidelines.	
iii.	The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	The location of Ambient air quality monitoring station shall be carried out as per guidelines of SPCB.
iv	Ambient air quality shall be monitored at the nearest human settlements as per the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R.No.826(E) dated 16th November 2009 for PM10, PM2.5, SO2, NOx, CO, CH4, HC, Non-methane HC etc.	Ambient Air Quality is being monitored for existing & expansion projects. (Appendix-B)
v.	During exploration, production, storage and handling, the fugitive emission of methane, if any, shall be monitored using Infra-red camera / appropriate technology.	Gas detection system has been installed in GGS which has infra-red technology and connected with SCADA for any methane emission.
vi	The project proponent also to ensure trapping / storing of the CO2 generated, if any, during the process and handling.	Not applicable.
vii.	Approach road shall be made pucca to minimize generation of suspended dust.	Once the project starts, approach roads shall be made pucca as per requirement to minimize generation of suspended dust.
Sr. No.	III. Water quality monitoring and preservation	Status of Compliance
i.	As proposed by the project proponent, Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged to any surface water body, sea and / or on land. Domestic sewage shall be disposed off through septic tank / soak pit.	Wastewater at well sites shall be collected in an evaporation pit and the pit will be lined with High Density Polyethylene (HDPE) liner to prevent percolation of the water into the ground. After natural evaporation, excess water will be used for our operation during drilling of new wells with zero discharge to any streams.
ii.	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air / Water Act, whichever is more stringent.	Shall be complied.
iii	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority / CGWA in this regard.	GEECL re-uses CBM Produced water in its operation like fire hydrant and other operations.

iv.	The company shall construct the garland drain all around the drilling site to prevent runoff of any oil containing waste into the nearby water bodies. A separate drainage system shall be created for oil contaminated and non-oil contaminated. Effluent shall be properly treated and treated wastewater shall conform to CPCB standards.	Well pads will be prepared as per regulations/best practices. GEECL is going to drill only exploratory wells hence there will not be any generation of oil containing waste and thus there won't be any runoff. Effluent in the form of waste mud will be tested and generated waste will be identified based on HWMH Rules 2016 and will be disposed accordingly, and solid waste will be disposed as per CPCB standards.
v.	Drill cuttings separated from drilling fluid shall be adequately washed and disposed in HOPE lined pit. Waste mud shall be tested for hazardous contaminants and disposed according to HWMH Rules, 2016. No effluent / drilling mud / drill cutting shall be discharged / disposed off into nearby surface water bodies. The company shall comply with the guideline for disposal of solid waste, drill cutting fluids for onshore drilling operation notified vide GSR.545 (E) dated 30th August 2005.	Shall be complied during drilling operation.
Sr. No.	IV. Noise monitoring and prevention	Status of Compliance
i.	The company shall make all arrangements for control of noise from the drilling activity. Acoustic enclosure shall be provided for the DG sets along with the adequate stack height as per CPCB guidelines.	<p>DG sets with acoustic enclosures are operated at the drill site. DG set stack monitoring is done on monthly basis. Stack emission report for DG sets operating at GEECL's sites is attached (Appendix-D)</p> <p>At production wells gas generators are used to reduce use of fossil fuel. The company has taken the following measures to reduce noise levels:</p> <ul style="list-style-type: none"> • Provision of silencers & Thermal claddings. • Regular maintenance & inspection of machinery & equipment. • Use of ear plugs/muffs.
ii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.	<p>Cladding and acoustic enclosures are provided at compressor areas to bring further noise level to an acceptable level. Periodic upkeep of the above measures will be taken up to mitigate the issue of noise level in specific locations. Further, at the boundary of both GGS we have acceptable level of noise as per EPA rules.</p> <p>Additional measures for providing Earmuffs and earplugs are available close to compressor and GG set area.</p> <p>Noise Monitoring Report is attached as Appendix-E.</p>

iii.	The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time)	This is complied and shall further be complied during project operations.
Sr. No.	V. Energy Conservation measures	Status of Compliance
i	The energy source for lighting purpose shall preferably be LED based.	This shall be complied.
Sr. No.	VI. Waste management	Status of Compliance
i.	Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage / contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers	Spill management plan is in place. For oil spillage prevention and mitigation, oil storage area has concrete bunds or kept with secondary containment available underneath to avoid any containment Spill kit and dip trays are also made available. Waste disposal and recycling are being done by authorized agency.
ii.	Oil content in the drill cuttings shall be monitored by some Authorized agency and report shall be sent to the State Environment Impact Assessment Authority.	Oil content in the drill cutting shall be monitored by NABL agency and reports will be submitted along with compliance reports after starting the Drilling activity. No drilling activity has been conducted since September 11, 2013.
Sr. No.	VII. Safety, Public hearing and Human Health Issues.	Status of Compliance
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan are in place and implemented for exiting & expansion project.
ii	Blow Out Preventer system shall be installed to prevent well blowouts during drilling operations. BOP measures during drilling shall focus on maintaining well bore hydrostatic pressure by proper pre-well planning and drilling fluid logging etc.	This shall be followed during drilling of shale exploratory wells.
iii.	Company shall prepare operating manual in respect of all activities, which would cover all safety & environment related issues and measures to be taken for protection. One set of environmental manuals shall be made available at the drilling site / project site. Awareness shall be created at each level of the management. All the schedules and results of environmental monitoring shall be available at the project site office. Remote monitoring of site should be done.	Shall be complied.
iv.	On completion of drilling, the company has to plug the drilled wells safely and obtain certificate from environment safety angle from the concerned authority.	Shall be complied.

v.	The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of the well and drilling site shall be restored the area in original condition. In the event that no economic quantity of hydrocarbon is found a full abandonment plan shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	This shall be followed in case any abandonment is required. OISD Standard 175 shall be followed in case of abandonment.
vi.	The Company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. Possibility of using ground flares shall be explored. At the place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	System for prevention of fire hazards, containment of oil spill and soil remediation is in place. There is no ground flaring. Overhead flare system is provided with knockout drums and same is adopted for expansion project.
vii.	Training shall be imparted to all employees on the safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Required training are imparted to all employees on the safety and health aspects of chemical handling. GEECL has policy for pre-employment medical check-ups. Subsequent periodic examinations are undertaken for those employees who participate in operational work where health problems are likely to occur.
viii.	The company shall develop a contingency plan for H2S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H2S detectors in location of high risk of exposure along with self-containing breathing apparatus.	Coal Bed Methane gas does not contain H2S.
ix.	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	This shall be followed during project execution.
x.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	GEECL has policy for pre-employment medical check-ups. Subsequent periodic examinations are undertaken for those employees who are involved in operational work where health problem is likely to occur. All major operational activities for well drilling and completion are outsourced to competent national and international service providers. Occupational Health Surveillance of work force of service provider is ensured in accordance with their company's policy.

xi.	The Company shall carry out long term subsidence study by collecting base line data before initiating drilling operation till the project lasts. The data so collected shall be submitted six monthly to the Ministry of Environment, Forests & Climate Change / State Environment Impact Assessment Authority / State Pollution Control Board.	Drilling operation yet to start, However, we carried out long term subsidence study for CBM wells. Report is attached in Appendix -I
Sr. No.	VIII. Environment Management Plan (EMP)	Status of Compliance
i.	The project proponent should submit the proposed EMP on a six-monthly basis. The Office Memorandum issued by the Mo EF & CC vide F. No. 22-65/2017-IA.III dated 30.09.2020 should be strictly followed.	This is complied and shall further be complied during project operations.
ii.	The project proponent shall install display board for display of all the environmental parameters including sensor-based air, water and noise quality monitoring stations within their premises.	Noted.
iii	Need based activities for local people is part of the EMP. Details of such activities submitted by the project proponent is given in annexure 2	Need based activity for local people shall be complied.
iv.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the Ministry of Environment, Forests & Climate Change / State Environment Impact Assessment Authority / State Pollution Control Board as a part of six-monthly report.	GEECL has implemented and is certified for ISO 14001:2015 (Environment Management System), ISO 45001:2018 (Occupational Health & Safety Management System) and ISO 9001:2015 (Quality Management System). These International Management Systems contains the intent of Corporate Environment Policy as per the Ministry's O.M. No. J-11013/41/2006-IA. II (I) dated April 26, 2011.
v.	A separate Environmental Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions, with qualified personnel shall be set up under the control of Senior Executive, who will directly to the head of the organization.	A dedicated Environmental Management Cell is formed within the Organization for constant Improvement, Monitoring, Safeguarding, and reporting of environmental Activities. The environment management cell comprises of Assistant General Manager Geology, Assistant General Manager -QHSE and Manager-Safety

		Environmental monitoring and the laboratory facility of Mitra S. K. Private Limited, approved by MoEF&CC & West Bengal State Pollution Control Board is being utilized. However, during Drilling operations a separate laboratory will be made available at site for testing and monitoring purpose if deemed necessary.
vi.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment, Forests & Climate Change / State Environment Impact Assessment Authority / State Pollution Control Board along with the Six-Monthly Compliance Report.	Shall be complied
vii.	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Audit is being conducted on every year and three-year intervals by Third Party agency on ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018.
Sr. No.	IX. Miscellaneous	Status of Compliance
i.	The environmental clearance accorded shall be valid for a period of 10 years for the proposed project.	Noted.
ii.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Press advertisement published on May 03, 2023, in Bangla newspaper Ananda bazar Patrika and The Telegraph Calcutta (English).
iii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	The copies of the environmental clearance submitted to heads of local bodies, panchayats, and municipal bodies in addition to relevant offices of the Government for display it.
iv.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of	The company is complying and uploading the Environmental Clearance compliance report on the company website every six-monthly basis.

	monitored data on their website and update the same on half-yearly basis.	
v.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forests & Climate Change / State Environment Impact Assessment Authority / State Pollution Control Board.	Six monthly compliance report of expansion project is being/shall be submitted to authorities.
vi.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	This is complied.
vii.	The project proponent shall inform the State Environment Impact Assessment Authority/ State Pollution Control Board, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Shall be complied.
viii.	Restoration of the project site shall be carried out satisfactorily and report shall be sent to the State Environment Impact Assessment Authority.	Shall be complied.
ix.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	The company will adhere to the stipulations made by the state pollution Control Board and the State Government.
x.	The project proponent shall abide by all the commitments and recommendations made in the EIA / EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee.	Shall be complied.
xi.	No further expansion or modifications in the plant shall be carried out without prior approval of the State Environment Impact Assessment Authority.	No further expansion or modification in the project shall be conducted without prior approval of the Ministry of Environment, Forests and Climate Change.
xii.	Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
xiii.	The State Environment Impact Assessment Authority may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xiv.	The State Environment Impact Assessment Authority reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted.
	The State Environment Impact Assessment Authority / State Pollution Control Board shall	Noted.

xv.	monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the State Environment Impact Assessment Authority / State Pollution Control Board by furnishing the requisite data / information / monitoring reports.	
xvi.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	The company is complying with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management & Handling) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
xvii.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
xviii	The contact details of the proponent and the name of the consultant are given in EC.	Noted.

Appendix - A

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report April 2024

Printed date: 05/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 05/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq #:: 161	Nitrogen	:	1.2121
CarbonDioxide : 0.1188	Methane	:	98.6406
Ethane : 0.0241	Propane	:	0.0012
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0032
Hexane : 0.0032	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8891.5421
Relative Density : 0.5612	Wet Btu(Inferior CV)	:	8028.2214
Compressibility : 0.9980	Superior Wobbe	:	11891.9990
Normal Density : 0.6878	Dry Btu(Superior CV)	:	8908.9764
GPM : 16.8837	UnNormalized Total	:	100.0049

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report May 2024
Printed date: 06/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 06/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq #: 162	Nitrogen	:	1.1937
CarbonDioxide : 0.1533	Methane	:	98.6115
Ethane : 0.0248	Propane	:	0.0010
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0157
Hexane : 0.0157	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8894.7257
Relative Density : 0.5618	Wet Btu(Inferior CV)	:	8028.2443
Compressibility : 0.9980	Superior Wobbe	:	11890.3129
Normal Density : 0.6886	Dry Btu(Superior CV)	:	8912.1985
GPM : 16.5824	UnNormalized Total	:	99.9933

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report June 2024
Printed date: 07/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 07/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq : 163	Nitrogen	:	1.1486
CarbonDioxide : 0.2139	Methane	:	98.5807
Ethane : 0.0245	Propane	:	0.0002
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0321
Hexane : 0.0321	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8899.1203
Relative Density : 0.5626	Wet Btu(Inferior CV)	:	8028.3963
Compressibility : 0.9980	Superior Wobbe	:	11888.0928
Normal Density : 0.6896	Dry Btu(Superior CV)	:	8916.8111
GPM : 16.2663	UnNormalized Total	:	99.9969

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report July 2024

Printed date: 08/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 08/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq #: 164	Nitrogen	:	1.1171
CarbonDioxide : 0.2266	Methane	:	98.6051
Ethane : 0.0232	Propane	:	0.0000
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0280
Hexane : 0.0280	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8899.3167
Relative Density : 0.5625	Wet Btu(Inferior CV)	:	8028.5257
Compressibility : 0.9980	Superior Wobbe	:	11889.5800
Normal Density : 0.6894	Dry Btu(Superior CV)	:	8917.0089
GPM : 16.2630	UnNormalized Total	:	99.9955

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report August 2024

Printed date: 09/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 09/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq #:: 165	Nitrogen	:	1.1019
CarbonDioxide : 0.2305	Methane	:	98.6208
Ethane : 0.0209	Propane	:	0.0000
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0259
Hexane : 0.0259	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8899.4967
Relative Density : 0.5624	Wet Btu(Inferior CV)	:	8028.6599
Compressibility : 0.9980	Superior Wobbe	:	11890.7344
Normal Density : 0.6893	Dry Btu(Superior CV)	:	8917.1886
GPM : 16.2605	UnNormalized Total	:	99.9973

Methane and Non-Methane Hydrocarbons Report

Totalflow Laptop Monthly Report September 2024
Printed date: 10/01/2024

Station ID: ABBNGC

Device ID : T103334224

Location:

Location of stream 1

Date/Time: 10/01/2024 00:00:00	Hydrogen Sulphide	:	0.0000
Daily Period Seq #: 166	Nitrogen	:	1.0923
CarbonDioxide : 0.2354	Methane	:	98.6289
Ethane : 0.0176	Propane	:	0.0000
IsoButane : 0.0000	Butane	:	0.0000
NeoPentane : 0.0000	IsoPentane	:	0.0000
Pentane : 0.0000	Hexane+	:	0.0258
Hexane : 0.0258	Heptane	:	0.0000
Octane : 0.0000	Nonane	:	0.0000
Decane : 0.0000	Ideal CV	:	8899.6239
Relative Density : 0.5624	Wet Btu(Inferior CV)	:	8028.7664
Compressibility : 0.9980	Superior Wobbe	:	11891.0364
Normal Density : 0.6893	Dry Btu(Superior CV)	:	8917.3176
GPM : 16.2601	UnNormalized Total	:	99.9995

**Appendix-B
Summary Report**

Sample Identified As : **AAQM**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal - 713305**

Parameters(Units)	Method	April-2024	July-2024
		North GGS (Near Security Gate)	South GGS
		MSKGL/ED/2024-25/001245	MSKGL/ED/2024-25/003441
Particulate Matter (<10 micron) in µg/m ³	IS 5182: Part.23,2006	87.6	41.1
Particulate Matter (<2.5 micron) in µg/m ³	USEPA CFR-40,Part-50,Appendix-L	47.4	17.5
Sulphur Dioxide (SO ₂) in µg/m ³	IS 5182: Part.2,2001	7.7	<6.0
Nitrogen Dioxide (NO ₂) in µg/m ³	IS 5182: Part.6,2006	43.9	19.3
Carbon monoxide (as CO) in mg/m ³	IS 5182 (Part 10)-1999;Rffm:2009 (NDIR)	0.61	0.29
Mercury (as Hg) in µg/m ³	EPA-IO5 .0-June,1999	<6.0	<6.0
Hydrocarbon in ppm	IS 5182 (Part 17): 1979	4.5	2.4
Hydrocarbon (as Methane) in ppm	IS 5182 (Part 17): 1979	4.5	2.4
Hydrocarbon (as Non-Methane) in ppm	IS:5182(Part-11):2006	<2.0	<2.0
Hydrocarbon-Ethane in ppm	IS 5182 (Part 17): 1979	<2.0	<2.0
VOCs in ug/m ³	NIOSH-1501 - 15th March,2003	<4.2	<4.2
Benzene in µg/m ³	IS 5182 (PART-11):2006	<4.2	<4.2
Ethyl Benzene in µg/m ³	IS:5182(Part-11):2006 Reaff,2012	<4.2	<4.2
Propene in ppm	IS 5182 (Part 17): 1979	<2.0	<2.0
Toluene in ug/m ³	IS 5182 (PART-11):2006	<4.2	<4.2
m-Xylene in ug/m ³	IS 5182 (PART-11):2006	<4.2	<4.2
n- Butane in ppm	IS 5182 (Part 17): 1979	<2.0	<2.0
o-Xylene in ug/m ³	IS 5182 (PART-11):2006	<4.2	<4.2
p-Xylene in ug/m ³	IS 5182 (PART-11):2006	<4.2	<4.2
Pentene in ppm	IS 3025 (Part 11) -1984 Rffm:2012	<2.0	<2.0
ISO Butane in ppm	IS 3025 (Part 11) -1984 Rffm:2012	<2.0	<2.0

Appendix-C
Summary Report
Month: April-2024

Sample Identified As : **Water (CBM)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-19 (North)	Well No-20 (North)	Well No-18 (North)	Well No-10 (North)	Well No-51 (North)
			MSKGL/ED/2024-25/001597	MSKGL/ED/2024-25/001598	MSKGL/ED/2024-25/001599	MSKGL/ED/2024-25/001600	MSKGL/ED/2024-25/001601
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	791	795	994	657	1124
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	3.2	4.8	4.8	3.2	4.8
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	184	344	288	208	424
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	6	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	4.8
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	86	96	80	100	88
Conductivity	us/cm	APHA (23rd Edition) 2510B	1680	2060	2080	1556	2540
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	2.7	3.1	3.7	2.5	2.9
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	3.8	3.8	3.8	7.7	4.8
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.5	3.7	2.7	2.3	4.3
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	398	493	495	352	608
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	7.8	5	3.8	1.7	3.4
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1042	1250	1288	966	1592
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	4.2	4.4	3.5	3.7	4
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	----	APHA(23rd Edition) 4500-H-B	8.82	9.15	9.04	9	9.17

Summary Report
Month: April-2024

Sample Identified As : **Water (CBM)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-56 (North)	Well No-40 (North)	Well No-24 (North)	Well No-6 (North)	Well No-13 (North)
			MSKGL/ED/2024-25/001602	MSKGL/ED/2024-25/001603	MSKGL/ED/2024-25/001604	MSKGL/ED/2024-25/001605	MSKGL/ED/2024-25/001608
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	813	1021	1022	1135	809
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	4.8	4.8	4.8	6.4	4.8
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	232	360	376	392	256
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	5.2	BDL(DL:4.0)	BDL(DL:4.0)	5.6	4.8
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	82	62	100	208	84
Conductivity	us/cm	APHA (23rd Edition) 2510B	1748	2280	2360	2850	1870
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	3.5	3.8	2.4	2.3	2.2
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	5.8	4.8	7.7	4.8	8.6
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.4	3.2	3.8	3.7	2.6
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	405	524	536	680	424
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	2.5	2.6	2.1	1.8	4.2
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1080	1374	1488	1736	1164
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	4.5	2.9	3	4.8	5.1
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	---	APHA(23rd Edition) 4500-H-B	9.04	9.14	9.09	9.12	8.98

Summary Report
Month: April-2024

Sample Identified As : Water (CBM)
Customer Name : Great Eastern Energy Corp. Ltd.
Address : M10 ADDA Industrial Estate Asansol West Bengal – 713305

Parameters(Units)	Unit	Test Method	Well No-8 (North)	Well No-5 (North)	Well No-25 (North)	Well No-21 (North)	Well No-12 (North)
			MSKGL/ED/2024-25/001609	MSKGL/ED/2024-25/001610	MSKGL/ED/2024-25/001611	MSKGL/ED/2024-25/001612	MSKGL/ED/2024-25/001613
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	844	920	766	1435	856
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	6.4	1.6	6.4	3.2	4.8
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	384	320	344	560	328
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	4.2	8	6.8	7.6	6.4
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	160	146	104	130	104
Conductivity	us/cm	APHA (23rd Edition) 2510B	2290	2270	2000	3348	2150
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	3	3.2	2.3	3.9	2.8
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	5.8	5.8	4.8	5.8	5.8
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.7	2.6	2.9	5.4	3
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	524	510	458	790	501
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO ₄ E 2017	5.7	4.6	3.3	4.4	3.6
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)
Temperature	OC	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1388	1352	1256	2068	1280
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	5	14	5.8	12	8.6
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	9.06	9.15	8.93	9.02	8.91

Summary Report
Month: April-2024

Sample Identified As : **Water (CBM)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-S-9	Well No- S-17	Well No- S-12	Well No- S-19	Well No- S-16
			MSKGL/ED/2024-25/001614	MSKGL/ED/2024-25/001615	MSKGL/ED/2024-25/001616	MSKGL/ED/2024-25/001617	MSKGL/ED/2024-25/001618
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	1005	1098	659	1191	620
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	1.6	4.8	8	6.4	4.8
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	48	208	104	160	200
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	6	8	8	BDL(DL:4.0)	BDL(DL:4.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	88	58	48	66	80
Conductivity	us/cm	APHA (23rd Edition) 2510B	1770	2070	1290	2160	1465
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	4.8	3.4	2	1.8	4.5
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	3.8	7.7	14	9.6	5.8
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	3.2	4.5	3.9	3.5	2.6
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	424	491	264	492	327
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	1.2	6.2	12	3.8	4.1
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1094	1270	776	1310	889
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	7.6	9.2	18	3.1	2.8
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	---	APHA(23rd Edition) 4500-H-B	8.35	8.73	8.39	8.45	8.9

Summary Report
Month: April-2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No- S-3	Well No- S-18	Well No- S-27	Well No- S-14	Well No- S-2
			MSKGL/ED/2024-25/001619	MSKGL/ED/2024-25/001620	MSKGL/ED/2024-25/001621	MSKGL/ED/2024-25/001622	MSKGL/ED/2024-25/001630
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	605	620	815	771	703
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	4.8	4.8	8	3.2	4.8
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	104	200	216	168	112
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	6	6.4
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	160	64	70	44	56
Conductivity	us/cm	APHA (23rd Edition) 2510B	1512	1468	1728	1514	1350
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	2.2	4.1	3.2	2.1	3.7
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)	BDL(DL:0.05)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	3.8	3.8	4.8	12	6.7
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.1	2.2	2.4	4.1	3.5
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	330	326	380	334	294
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	3.2	5.6	7	8.6	5.7
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)	BDL(DL:0.1)
Temperature	OC	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	918	880	1032	926	836
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	2.7	2.9	3.2	5.8	6.6
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	---	APHA(23rd Edition) 4500-H-B	8.8	8.79	8.82	8.8	8.79

Summary Report
Month: July -2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-S-13	Well No-S-43	Well No-S-33	Well No-S-26	Well No-S-24
			MSKGL/ED/2024-25/003589	MSKGL/ED/2024-25/003590	MSKGL/ED/2024-25/003591	MSKGL/ED/2024-25/003592	MSKGL/ED/2024-25/003593
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	732	902.8	902.8	829.6	878.4
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	3.6	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	8.16	16.32	8.16	16.32	8.16
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	200	280	240	360	220
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	20	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	48.98	68.58	58.78	68.58	48.98
Conductivity	us/cm	APHA (23rd Edition) 2510B	1650	2126	1940	2200	1904
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.91	1.05	1.12	0.96	0.89
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	BDL(DL:0.24)	4.9	BDL(DL:0.24)	4.9	BDL(DL:0.24)
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.6	3	2.8	3.3	2.3
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	395	491	489	502	460
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	8.6	9.42	9.06	17.56	8.66
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	990	1260	1186	1302	1128
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	3.4	6.8	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	8.56	8.6	8.48	8.73 at 25 Deg C	8.5

Summary Report
Month: July-2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-S-28	Well No-S-7	Well No-S-12	Well No-S-38	Well No-S-17
			MSKGL/ED/2024-25/003594	MSKGL/ED/2024-25/003595	MSKGL/ED/2024-25/003596	MSKGL/ED/2024-25/003597	MSKGL/ED/2024-25/003598
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	780.8	1049.2	805.2	920	927.2
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	8.16	16.32	8.16	16.32	8.16
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	280	240	160	BDL(DL:2.0)	BDL(DL:2.0)
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	10
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	48.98	58.78	48.98	58.78	39.19
Conductivity	us/cm	APHA (23rd Edition) 2510B	1850	2182	1650	1540	1620
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	1.05	1.15	0.91	1.01	1.4
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	BDL(DL:0.24)	4.9	BDL(DL:0.24)	4.9	BDL(DL:0.24)
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.002)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.6	2.5	3.5	2.5	3.5
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	451	529	411	361	387
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	8.58	14.8	11.98	10.66	7.68
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1110	1306	1002	928	950
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)	4.2	12.8
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	8.72	8.65	8.58	7.51	7.5

Summary Report
Month: July-2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-5	Well No-23	Well No-26	Well No-55	Well No-14
			MSKGL/ED/2024-25/003599	MSKGL/ED/2024-25/003600	MSKGL/ED/2024-25/003601	MSKGL/ED/2024-25/003602	MSKGL/ED/2024-25/003603
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	780.8	805.2	829.6	805.2	805.2
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	24.48	16.32	16.32	16.32	16.32
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	240	160	160	140	200
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	68.58	48.98	48.98	39.19	48.98
Conductivity	us/cm	APHA (23rd Edition) 2510B	1880	1770	1790	1678	1856
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.93	1.38	1.21	1.02	0.93
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	4.9	BDL(DL:0.24)	BDL(DL:0.24)	BDL(DL:0.24)	BDL(DL:0.24)
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	3.1	2.6	2.8	2.5	3.2
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	442	406	419	383	431
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	12.8	11.2	13.9	10.58	12.01
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1126	1018	1046	986	1088
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	8.7	8.46	8.65	8.48	8.7

Summary Report
Month: July-2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-48	Well No-15	Well No-22	Well No-54	Well No-29
			MSKGL/ED/2024-25/003604	MSKGL/ED/2024-25/003605	MSKGL/ED/2024-25/003606	MSKGL/ED/2024-25/003607	MSKGL/ED/2024-25/003608
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	805.2	854	829.6	951.6	976
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	8.16	8.16	16.32	16.32	16.32
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	240	240	260	160	160
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)	BDL(DL:4.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	58.78	58.78	48.98	48.98	68.58
Conductivity	us/cm	APHA (23rd Edition) 2510B	1918	1950	2000	1880	1993
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	1.05	1.3	1.03	1.38	0.99
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	BDL(DL:0.24)	BDL(DL:0.24)	BDL(DL:0.24)	BDL(DL:0.24)	4.9
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.9	2.8	3.2	2.4	3.5
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	449	469	459	456	468
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	14.88	15.02	15.3	17.76	16.32
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1104	1168	1160	1152	1186
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	BDL(DL:2.5)	BDL(DL:2.5)	BDL(DL:2.5)	28.6	BDL(DL:2.5)
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	8.6	8.63	8.68	8.53	8.64

Summary Report
Month: July-2024

Sample Identified As : **Water (CBM)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	Well No-52	Well No-38	Well No-07	Well No-43	Well No-49
			MSKGL/ED/2024-25/003609	MSKGL/ED/2024-25/003610	MSKGL/ED/2024-25/003611	MSKGL/ED/2024-25/003612	MSKGL/ED/2024-25/003613
Bicarbonate (as HCO ₃)	mg/l	APHA22nd Edtn2012,2320 B	902.8	951.6	927.2	976	976
Biochemical Oxygen Demand	mg/l	APHA (23rd Edition) 5210B 2017	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)	BDL(DL:2.0)
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	8.16	16.32	8.16	16.32	16.32
Carbonate (as CaCO ₃)	mg/l	APHA (23rd Edition) 2320B 2017	180	160	160	120	140
Chemical Oxygen Demand	mg/l	APHA (23rd Edition) 5220B, 2017	BDL(DL:4.0)	BDL(DL:4.0)	10	BDL(DL:4.0)	BDL(DL:4.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B 2017	58.78	58.78	48.98	48.98	58.78
Conductivity	us/cm	APHA (23rd Edition) 2510B	1890	1990	1890	1860	2160
Copper (as Cu)	mg/l	APHA (23rd Edition)3120B 2017 (ICP OES)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Cyanide (as CN)	mg/l	APHA (23rd Edition)4500 CN- F 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.88	0.94	1.23	1.05	0.81
Hexavalent Chromium (as Cr ⁺⁶)	mg/l	APHA 23rd Edtn-2017, 3500 Cr B	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Lead (as Pb)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	4.9	4.9	4.9	BDL(DL:0.24)	BDL(DL:0.24)
Mercury (as Hg)	mg/l	IS 3025(Part 48)-1994; Rffm:2014	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nickel (as Ni)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Oil and Grease	mg/l	APHA (23rd Edition) 5520B 2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	APHA (23rd Edition)5530C 2017 (Chloroform Extraction)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Potassium (as K)	mg/l	APHA (23rd Edition) 3500 K B 2017	2.7	3.5	3.1	2.6	3.6
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B 2017	457	453	446	444	484
Sulphate (as SO ₄)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	14.8	17.6	16.1	15.8	15.88
Sulphide (as S)	mg/l	APHA (23rd Edition)4500 S2- D,2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
Temperature	0C	APHA 23rd EDITION,2550 B	25	25	25	25	25
Total Chromium (as Cr)	mg/l	APHA (23rd Edition)3111 D 2017 (AAS Flame)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)	BDL(DL:0.01)
Total Dissolved Solids	mg/l	APHA(23rd Edition) 2540C	1134	1154	1114	1124	1176
Total Suspended Solid	mg/l	APHA(23rd Edition)2540D	BDL(DL:2.5)	BDL(DL:2.5)	18.6	BDL(DL:2.5)	BDL(DL:2.5)
Zinc (as Zn)	mg/l	APHA (23rd Edition)3120B 2017	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)	BDL(DL:0.02)
pH value	None	APHA(23rd Edition) 4500-H-B	8.72	8.61	8.67	8.51	8.67

**Appendix-D
Summary Report**

Sample Identified As : **Flue Gas (Diesel Genset)**
 Customer Name : **Great Eastern Energy Corp. Ltd.**
 Address : **M10 ADDA Industrial Estate Asansol West Bengal – 71330**

Parameters(Units)	Method	Apr,24	May,24	June,24	July,24	Aug,24	Sep,24
		SL- CJXSDG11080173 (Well No-S-27)	SL- CJXSDG11080175 (Well No-S-38)	SL- CJXSDG10120206 (Well No-14)	SL- CJXSDG10120207 (Well No-14)	SL- CJXSDG10080110 (Well No-S-18)	SL- CJXSDG11080176 (Well No-S-22)
		MSKGL/ED/2024- 25/001216	MSKGL/ED/2024- 25/001867	MSKGL/ED/2024- 25/002527	MSKGL/ED/2024- 25/003442	MSKGL/ED/2024- 25/004258	MSKGL/ED/2024- 25/004959
Barometric pressure (mm of Hg)	USEPA Part 2 - 25/09/1996	754	748	754	754	750	754
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:200 9	0.384	0.589	0.163	0.287	0.430	0.142
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.415	0.893	0.273	0.221	0.622	0.241
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0.007	<0.003	<0.005	<0.005	<0.010	< 0.004
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Temperature of emission (° C)	USEPA Part 2 - 25/09/1996	101	152	123	108	180	149
Quantity of gas flow (Nm3/hr)	USEPA Part 2 - 25/09/1996	211	405	189	198	394	158
Velocity of gas (m/s)	USEPA Part 2 - 25/09/1996	9.44	8.98	9.33	8.99	9.27	8.22
Concentration of Sulphur dioxide (mg/Nm3)	USEPA Part 6 - 25/09/1996	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
Concentration of Particulate Matters (g/kw-hr)	USEPA-17 16/08/1996	0.095	0.126	0.102	0.059	0.109	0.048
Concentration of methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	0.099	1.031	0.07	0.071	0.088	0.050
Concentration of (NOx + HC) (g/kw-hr)	USEPA 18 - 25/09/1996	0.514	1.031	0.343	0.292	0.731	0.291

Appendix - E

Noise levels in and around installations													
Sr. No.	Monitoring Locations	April– 2024		May– 2024		June - 2024		July – 2024		August- 2024		September– 2024	
		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)	
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
01	GGs (North)	65.3	62.4	64.2	61.6	66.2	63.4	66.9	64.3	64.7	62.7	64.4	62.0
02	GGs (South)	66.3	63.7	65.4	62.4	66.5	62.9	66.3	64.6	65.	62.9	64.8	63.7
03	CGS	63.8	NA	63.2	NA	64.	NA	63.6	NA	62.	NA	60.7	NA

Noise levels in nearby villages of wells													
Sr. No.	Monitoring Locations	April- 2024		May- 2024		June - 2024		July – 2024		August- 2024		September- 2024	
		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)		Leq. dB (A)	
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night	Day	Night
1	Koilapur Village (W#01)	48.7	45.2	47.9	44.3	45.4	42.7	44.	41.8	44.7	42.8	45.3	42.6
2	100m away from well site (W#02)	44.6	41.5	44.7	41.8	45.5	42.	44.9	41.6	45.	42.2	44.7	42.
3	100m away from well site (W#03)	45.3	42.	44.7	42.1	45.3	42.9	44.9	41.3	45.2	42.	45.1	42.2
4	100m away from well site (W#04)	46.	42.9	45.	42.	44.8	43.1	44.5	42.	46.3	43.	44.9	40.9
5	100m away from well site (W#05)	45.1	42.4	46.4	42.8	45.9	42.3	46.9	43.8	46.1	43.1	45.6	42.6
6	100m away from well site (W#06)	46.7	43.3	45.6	42.6	45.4	42.2	45.3	42.9	45.7	42.4	45.5	42.6
7	Dheka Village (W#07)	45.4	42.6	46.3	43.0	45.2	43.1	44.9	42.	45.9	42.7	45.2	42.3
8	100m away from well site (W#08)	45.9	44.3	45.7	43.2	45.9	42.5	47.2	44.7	46.8	43.2	45.9	42.6
9	100m away from well site (W#09)	45.2	42.7	46.4	43.6	45.7	42.8	45.8	42.7	45.1	43.3	45.4	42.
10	Near Ashram (W#10)	46.9	44.9	46.7	43.5	46.5	43.2	45.9	43.1	46.2	43.	45.5	42.7
11	Shyamdhi Village (W#11)	45.6	42.4	46.4	42.2	45.9	42.7	46.1	42.6	45.	42.2	45.3	42.5
12	Shyamdhi Village (W#12)	48.8	47.3	50.8	48.9	50.1	47.4	51.	48.7	49.8	45.1	50.9	47.9
13	100m away from well site (W#13)	45.9	42.5	46.3	42.1	47.3	43.5	46.7	43.9	45.7	42.8	48.6	45.6
14	Dhenwa Village (W#14)	46.5	43.1	45.9	42.5	45.4	42.2	46.2	43.0	47.0	44.4	47.6	44.1
15	100m away from well site (W#15)	48.3	45.4	46.8	43.5	47.1	44.0	45.8	42.7	47.3	44.5	45.8	43.0

16	100m away from well site (W#16)	47.2	45.4	48.5	44.9	47.5	44.4	46.7	43.3	47.1	44.5	46.8	43.1
17	100m away from well site (W#17)	45.2	41.9	45.6	42.4	46.7	43.2	45.6	42.	44.6	41.9	47.4	44.5
18	Kalajharia Village (W#18)	46.9	43.4	47.5	44.3	45.8	42.1	47.6	44.1	46.8	44.2	45.9	43.2
19	Dhorapada Village (W#19)	48.1	45.5	47.4	44.5	48.1	44.7	47.5	44.0	46.2	43.3	48.7	43.9
20	Kiradi Village (W#20)	46.8	43.0	45.9	42.4	47.8	44.4	47.9	44.6	48.6	45.1	46.5	43.1
21	100m away from well site (W#21)	45.7	42.9	47.0	43.8	46.4	43.0	45.4	42.8	46.5	43.1	48.0	43.9
22	100m away from well site (W#22)	46.3	43.4	45.9	42.6	46.7	43.7	45.8	42.9	47.8	44.0	44.9	42.0
23	100m away from well site (W#23)	47.5	44.4	48.3	45.8	45.2	43.4	48.1	45.4	46.7	43.7	48.4	45.2
24	100m away from well site (W#24)	46.7	44.0	48.0	44.8	47.4	44.3	46.9	43.2	48.2	45.3	46.8	43.2
25	100m away from well site (W#25)	45.9	42.5	47.7	44.5	48.3	44.9	46.3	43.8	47.2	44.0	45.5	42.4
26	Bango Village (W#26)	44.5	42.3	45.6	42.8	46.7	43.5	44.6	42.4	45.7	43.3	46.1	43.3
27	100m away from well site (W#27)	46.3	43.5	46.8	43.4	45.6	42.3	46.3	43.6	47.5	44.7	46.5	43.4
28	100m away from well site (W#28)	47.6	45.3	46.8	43.4	46.3	43.7	47.4	44.6	47.6	44.6	48.2	45.5
29	100m away from well site (W#29)	45.7	42.3	48.6	45.4	46.5	43.5	47.6	44.8	48.4	45.8	47.5	45.3
30	100m away from well site (W#30)	44.7	41.3	46.6	43.4	47.7	44.7	46.4	43.4	45.8	42.3	48.8	45.4
31	100m away from well site (W#31)	45.5	42.3	44.7	41.7	46.4	43.3	43.2	40.8	46.4	44.2	45.5	42.4
32	Mahalipad Village (W#32)	46.4	43.2	47.6	44.2	48.4	45.7	46.6	43.5	44.8	41.6	46.5	43.6
33	100m away from well site (W#33)	44.3	41.9	45.5	42.5	43.7	41.3	46.5	43.5	45.5	42.4	46.2	43.8
34	100m away from well site (W#34)	43.8	40.8	42.5	40.2	44.6	41.6	44.6	41.8	43.2	40.7	45.4	43.3
35	Uperbaluksund Village (W#35)	44.9	41.5	42.7	40.5	43.8	41.7	44.4	41.5	45.7	43.4	44.5	42.4
36	100m away from well site (W#36)	45.8	43.5	44.5	42.2	43.8	40.9	44.6	42.1	46.2	44.3	45.7	42.3

37	100m away from well site (W#37)	42.4	40.3	44.9	41.7	43.7	40.6	44.6	42.2	45.7	42.5	43.4	40.7
38	100m away from well site (W#38)	46.2	44.3	48.6	45.9	49.5	46.2	48.3	45.9	47.6	44.5	48.7	45.9
39	100m away from well site (W#39)	43.5	40.9	42.8	39.9	44.6	41.4	45.7	42.3	42.7	40.5	41.8	39.7
40	100m away from well site (W#40)	47.3	44.6	47.7	45.3	48.7	45.9	46.5	44.1	46.4	43.1	47.6	43.9
41	100m away from well site (W#41)	45.7	42.3	46.6	43.5	44.9	42.2	47.1	44.5	46.9	43.7	47.3	44.3
42	Gudgudpada Village (W#42)	46.6	43.5	45.3	42.9	47.3	44.9	47.9	45.4	46.3	43.7	46.6	44.5
43	100m away from well site (W#43)	45.5	42.6	46.6	43.5	45.2	42.9	47.5	44.9	46.5	43.8	47.7	44.3
44	100m away from well site (W#44)	43.4	41.2	44.7	42.2	46.2	43.5	44.2	41.5	42.4	40.1	45.3	42.5
45	100m away from well site (W#45)	46.4	43.7	45.5	43.2	47.3	44.8	45.5	42.5	46.7	43.8	47.4	44.6
46	Borthal Village (W#46)	44.9	41.7	46.7	44.	45.8	43.3	46.6	43.8	45.4	43.5	46.1	43.4
47	Borthal Village (W#47)	47.4	44.8	45.3	42.7	46.4	43.7	47.8	45.1	45.3	42.7	44.3	41.8
48	100m away from well site (W#48)	46.5	43.1	47.5	41.7	45.6	42.5	46.3	43.5	45.8	42.5	47.2	44.9
49	100m away from well site (W#49)	44.6	42.3	46.1	43.7	45.6	42.7	44.5	42.1	46.6	43.9	45.4	42.8
50	100m away from well site (W#50)	45.1	42.3	43.7	40.9	46.4	43.1	44.4	41.8	45.4	42.5	46.8	43.9
51	100m away from well site (W#51)	43.8	41.2	44.4	42.2	46.5	43.8	45.5	43.2	46.4	43.6	44.9	42.2
52	Talkudi Village (W#52)	46.7	43.5	45.3	43.1	47.3	45.1	44.3	41.7	47.5	44.7	47.7	45.1
53	100m away from well site (W#53)	45.3	42.6	46.6	43.8	44.8	41.7	46.5	43.7	44.7	41.8	45.4	42.7
54	Talkudi Village (W#54)	44.2	43.9	42.8	43.1	48.3	45.2	45.4	41.4	46.9	43.3	45.2	42.8
55	100m away from well site (W#55)	46.5	45.2	46.5	43.8	46.2	43.2	49.3	44.9	47.3	44.1	44.3	43.8
56	100m away from well site (W#56)	46.4	43.7	45.5	45.1	45.4	42.3	47.0	43.8	44.1	43.0	46.2	45.5
57	100m away from well site (W#102)	44.9	42.4	46.3	44.2	44.8	44.4	46.2	43.1	48.0	45.3	45.3	44.6

58	Salvedia (S-01)	46.5	45.4	44.6	45.6	45.7	41.5	45.5	44.6	43.3	42.3	45.6	43.1
59	100 M away from Well Sites (S-02)	43.9	44.3	45.4	42.2	43.2	42.9	45.2	43.8	46.2	43.7	45.5	42.2
60	Bauntod (S-03)	43.3	41.2	46.7	43.5	44.3	42.3	44.6	42.4	45.3	41.4	47.2	43.1
61	100m away from Well Sites (S-04)	44.7	43.0	43.4	42.9	43.9	43.1	43.7	45.0	42.7	41.0	45.0	42.8
62	100m away from Well Sites (S-05)	45.2	38.9	43.7	41.3	43.4	30.4	43.6	40.3	43.6	43.0	42.0	39.4
63	100 M away from Well Sites (S-07)	45.8	42.3	45.9	43.0	46.3	41.8	43.9	42.0	40.0	40.2	44.1	42.3
64	100 M away from Well Sites (S-08)	42.0	41.7	43.1	41.3	41.8	42.6	45.0	43.1	40.8	43.2	41.4	40.6
65	Raotoda (S-09)	41.4	42.5	42.3	42.7	45.0	42.2	44.2	42.4	43.1	41.6	43.2	41.5
66	100 M away from Well Sites (S-10)	44.9	42.7	44.4	41.3	44.2	39.7	43.4	42.5	43.6	43.8	42.6	41.7
67	Chaukhari (S-11)	42.4	40.6	45.1	42.3	41.2	42.4	43.2	44.3	45.3	44.1	44.5	42.4
68	100 M away from Well Sites (S-12)	43.0	41.6	44.0	45.0	43.8	42.7	45.2	43.1	43.1	43.3	44.0	42.2
69	100 M away from Well Sites (S-13)	45.0	42.6	44.1	40.3	48.2	44.1	46.1	43.5	42.4	45.3	42.9	41.8
70	100 M away from Well Sites (S-14)	42.2	41.3	43.0	41.2	44.0	43.0	40.7	41.6	42.2	42.4	43.5	42.3
71	Narayan Pur (S-15)	42.1	43.4	46.1	42.5	45.3	43.1	43.0	42.2	43.1	43.3	45.0	43.1
72	Bamuntod (S-16)	44.3	41.8	44.7	42.0	43.9	41.0	45.6	42.6	45.1	42.6	44.0	41.5
73	Iswarda (S-17)	46.4	44.8	46.7	45.6	44.9	44.6	47.1	44.5	47.2	44.3	46.7	43.9
74	100 M away from Well Sites (S-18)	45.1	43.0	44.7	42.4	45.9	42.6	46.3	43.8	46.1	43.7	45.5	43.0
75	100 M away from Well Sites (S-19)	44.7	41.8	45.6	42.8	43.7	41.1	45.6	42.2	44.1	41.7	45.0	42.3
76	Borsal (S-20)	40.0	37.3	42.1	39.3	41.2	38.9	42.9	39.2	40.6	38.1	41.6	38.7
77	100 M away from Well Sites (S-21)	44.2	41.7	45.6	42.8	44.2	41.7	45.8	42.9	46.2	43.3	43.1	40.4
78	100 M away from Well Sites (S-22)	40.2	37.6	41.1	38.6	44.5	41.7	44.9	38.7	44.5	41.3	44.1	41.7

79	100 M away from Well Sites (S-23)	46.7	43.8	45.3	42.7	47.2	44.9	46.5	43.9	44.3	41.5	45.8	43.2
80	100 M away from Well Sites (S-24)	45.8	42.6	44.7	41.2	46.7	43.1	45.3	42.4	44.8	42.0	44.6	41.8
81	100 M away from Well Sites (S-25)	45.2	41.9	46.5	43.2	44.7	41.9	43.8	40.1	45.6	43.3	43.9	40.6
82	100m away from Well Site (S-26)	46.2	43.5	45.6	42.8	47.2	44.9	45.2	42.4	43.1	40.7	42.3	39.7
83	100 M away from Well Site (S-27)	45.8	43.1	44.3	42.2	46.2	42.8	45.2	42.1	44.2	41.2	46.2	43.5
84	Anandpur (S-28)	47.2	43.3	45.6	42.1	46.4	43.5	46.4	43.3	46.3	43.1	45.7	42.0
85	100 M away from Well Site (S-29)	44.8	41.2	46.3	43.6	45.8	42.1	46.4	43.2	46.2	42.8	44.8	41.3
86	100 M away from Well Sites (S-30)	45.2	42.8	42.7	39.3	45.3	42.7	44.4	41.7	42.8	39.9	44.1	40.9
87	Kalidaspur, (S-31)	45.9	42.4	45.2	42.5	45.4	42.7	45.9	42.2	45.0	42.3	44.8	41.0
88	Kalidaspur, (S-32)	42.3	38.6	41.9	37.4	44.5	41.7	42.8	38.9	42.6	39.7	43.9	41.1
89	100 M away from Well Sites (S-33)	44.2	41.6	45.2	41.9	46.7	43.1	45.6	43.1	46.3	42.8	44.5	42.2
90	100 M away from Well Sites (S-34)	46.2	42.6	43.4	40.3	45.8	42.3	44.3	41.5	43.6	40.7	45.8	42.9
91	100 M away from Well Sites (S-35)	45.8	42.5	44.3	41.1	45.1	42.4	45.0	42.6	45.9	42.7	46.0	43.2
92	100 M away from Well Sites (S-36)	44.8	42.1	43.6	41.5	44.2	41.9	42.6	40.2	44.2	41.7	42.7	40.2
93	100 M away from Well Sites (S-38)	42.2	39.9	44.6	42.2	43.7	41.1	45.8	42.5	42.9	40.1	43.8	41.2
94	100 M away from Well Sites (S-39)	45.7	42.9	43.8	41.1	44.8	42.2	43.2	40.7	44.5	42.1	45.6	43.2
95	100 M away from Well Sites (S-40)	43.8	41.0	44.6	41.9	42.9	40.1	45.2	42.6	46.1	43.9	44.2	41.9
96	100 M away from Well Sites (S-41)	42.5	40.1	43.7	41.1	44.8	41.2	40.9	38.7	43.6	41.0	42.7	40.1
97	100 M away from Well Sites (S-42)	42.0	38.9	43.2	40.5	42.6	41.1	39.8	38.3	40.8	39.5	42.6	40.3
98	100 M away from Well Sites (S-43)	43.5	40.9	45.1	42.9	44.7	42.4	43.8	41.9	44.1	41.7	45.1	42.2

Noise Monitoring Report – GGS North

Sr. No.	Monitoring Locations	April– 2024	May– 2024	June - 2024	July – 2024	August- 2024	September– 2024
		Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)
1.	Admin Area- Inside Engineer’s Room	58.2	59.6	57.5	60.1	58.8	59.1
2.	SCADA Room	56.4	58.9	59.8	57.5	58.2	60.0
3.	Workshop	53.7	55.5	56.2	54.1	52.8	53.1
4.	Outer Corner-1 - Main Gate/Entry Gate	59.9	58.7	60.5	57.8	58.1	59.2
5.	Outer Corner-2 - Gate No.2	57.6	56.3	58.2	59.5	57.9	56.1
6.	Outer Corner-3 -Opposite corner of Main Header	62.8	63.5	61.7	60.3	59.6	61.3
7.	Outer Corner-4- Corner of Flare Area	57.2	59.7	56.4	55.8	58.3	59.0
8.	Well Head Area - 1 meter away from Well Head	70.6	71.8	72.3	69.7	71.8	70.1
9.	D.G/G.G Area- 1 meter away G.G set	71.8	73.2	70.9	72.7	71.5	73.9
10.	Air Compressor Area- 1 meter away from Air Compressor	73.1	72.5	71.2	73.2	74.0	72.2
11.	CBM Compressor Area- between the Level-I & Level-II CBM Compressor	74.2	73.6	74.7	73.1	72.2	72.9
12.	A.G Compressor Area - between both the Compressor	74.8	74.0	73.2	73.9	72.8	74.5
13.	Surge Vessel Area- between Main Header & Surge Vessel.	71.2	72.6	70.7	71.8	70.1	72.5
14.	1 meter away from Flare Stack	60.9	59.7	61.3	58.5	60.4	59.1
15.	Fire Pump House(1 meter away from Fire Diesel Engine)	70.1	72.3	71.6	73.2	70.8	72.9

Noise Monitoring Report – GGS South

Sr. No.	Monitoring Locations	April– 2024	May– 2024	June - 2024	July – 2024	August- 2024	September– 2024
		Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)
1.	SCADA Room	58.5	56.9	57.3	58.2	59.4	57.5
2.	Workshop	50.2	50.5	50.9	50	50.3	51.3

3.	Well Head Area - 1 meter away from Well Head	70.6	71.6	71.1	72.2	69.7	71.2
4.	Outer Corner- 1	59.4	58.1	59.4	60.4	57.8	61.1
5.	Outer Corner-2	56.3	57.8	55.6	57.2	58.3	57.4
6.	Outer Corner-3	63.9	64.4	66.4	66.7	63.1	63.7
7.	Outer Corner-4	58.5	56.6	55.8	56.5	57.5	58.3
8.	D.G/G.G Area- 1 meter away G.G set	73.8	74.2	74.1	73.9	74.6	72.6
9.	Air Compressor Area - 1 meter away from Air Compressor	72.7	73.8	73.6	71.6	71.7	73.8
10.	A.G Compressor Area - between both the Compressor	74.1	74.7	74.5	73.7	72.6	73.2
11.	Surge Vessel Area - between Main Header & Surge Vessel.	72.2	72.6	73.4	72.8	71.2	72.8
12.	1 meter away from Flare Stack	54.9	54.4	55.7	57.0	55.4	54.7
13.	Fire Pump House (1 meter away from Fire Diesel Engine)	57.4	56.9	54.7	55.4	56.6	57.5

Noise Monitoring Report - CGS							
Sr. No.	Monitoring Locations	April- 2024	May- 2024	June - 2024	July - 2024	August- 2024	September- 2024
		Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)	Leq.dB (A)
1.	Near Main Gate	60.4	59.6	58.4	61.3	60.6	58.5
2.	Admin Area- Inside Supervisor Room	53.6	54.5	53.6	52.4	52.2	53.3
3.	Gas Refilling Area - 1 meter away from Gas refilling point	60.8	60.6	61.5	60	60.1	59.5
4.	CNG Compressor Area - Between the Compressors	63.9	62.8	63.5	65.4	62.3	61.6
5.	Process Area (Noise monitoring take place at mid-point of the Process Area)	59.1	59.7	61.4	59.9	60.5	61.9

Appendix-F
Summary Report
Month: May-2024

Sample Identified As : **Ground Water**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	(GW-1) Open Well No- 03 Purushhotampur	(GW-2) Open Well No- 01 Kuliapur	(GW-3) Open Well No- 04 Sarjomdih	(GW-4) Open Well No- 07 Dihika	(GW-5) Open Well No- 12 Shyamdihi
			MSKGL/ED/2024-25/001951	MSKGL/ED/2024-25/001953	MSKGL/ED/2024-25/001954	MSKGL/ED/2024-25/001955	MSKGL/ED/2024-25/001956
Arsenic(as As)	mg/l	APHA (23rd Edition) 3114C (Hydride Generation),2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Bicarbonate	mg/l	APHA23rd Edtn,2320 B,2017	264	68	405	390	210
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	59	37	69	94	66
Carbonate	mg/l	TPM/MSK/E/1/X Methods of Analysis Soil Science society for America Part II ,pg 945	NIL	NIL	NIL	NIL	NIL
Chemical Oxygen Demand (COD)	mg/l	APHA (23rd Edition) 5220B, 2017	5.6	5.2	6	5.2	7.2
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B ,2017	52	60	122	128	28
Colour	Hazen	APHA (23rd Edition) 2120B ,2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Conductivity	us/cm	APHA (23rd Edition) 2510B,2017	679	470	1029	1186	530
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	1.4	BDL(DL:0.1)	1.1	0.78	0.41
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	18	12	27	43	8.6
Mercury (as Hg)	mg/l	APHA 22rd Edtn, 3112B,2017	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nitrate (as NO3)	mg/l	APHA (23rd Edition) 4500- NO3-E, 2017	34	36	15	68	7.4
Nitrite (as NO2)	mg/l	APHA (23rd Edition) 4500-NO2-B 2017	0.16	0.03	1	0.06	0.04
Odour	---	APHA(23rd Edition)2150B ,2017	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B, 2017	56	36	115	70	30
Sulphate (as SO4)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	31	35	39	66	36
Temperature	°C	APHA 23 rd EDITION,2550 B,2017	25	25	25	25	25
Total Dissolved Solids (as TDS)	mg/l	APHA(23rd Edition) 2540C,2017	412	280	610	698	316
pH value	----	APHA(23rd Edition) 4500-H-B ,2017	7.48	6.58	7.41	7.22	8.03
Orthophosphate	mg/l	APHA 22nd Edtn, 4500P-D,2017	0.8	BDL(DL:0.15)	0.18	0.25	BDL(DL:0.15)
Sodium Adsorption Ratio (as SAR)	----	DIAGONISIS AND IMPROVEMENT OF SALINE AND ALKALINE SOIL	1.6	1.3	3	1.5	0.9
% Sodium	----	IS 2488 (Part 5)-1976; Rffm:2009	31	34.9	45.6	25.7	24.1

Summary Report
Month: May-2024

Sample Identified As : **Ground Water**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	(GW-6) Open Well No- 10 Shyamdihi	(GW-7) Open Well No- 42 Gutgut Para	(GW-8) Open Well No- 46 Barathol	(GW-9) Open Well No- 47 Chassipatti	(GW-10) Open Well No- 18 Kalajharia
			MSKGL/ED/2024-25/001957	MSKGL/ED/2024-25/001958	MSKGL/ED/2024-25/001959	MSKGL/ED/2024-25/001960	MSKGL/ED/2024-25/001961
Arsenic(as As)	mg/l	APHA (23rd Edition) 3114C (Hydride Generation),2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Bicarbonate	mg/l	APHA23rd Edtn,2320 B,2017	210	454	176	400	303
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	45	80	29	204	53
Carbonate	mg/l	TPM/MSK/E/1/X Methods of Analysis Soil Science society for America Part II ,pg 945	NIL	NIL	NIL	NIL	NIL
Chemical Oxygen Demand (COD)	mg/l	APHA (23rd Edition) 5220B, 2017	16	5.2	BDL(DL:4.0)	5.6	4.8
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B ,2017	30	38	32	290	70
Colour	Hazen	APHA (23rd Edition) 2120B ,2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Conductivity	us/cm	APHA (23rd Edition) 2510B,2017	449	859	379	1736	723
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.29	1.1	0.3	0.64	0.37
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	20	18	23	77	36
Mercury (as Hg)	mg/l	APHA 22rd Edtn, 3112B,2017	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nitrate (as NO3)	mg/l	APHA (23rd Edition) 4500- NO3-E, 2017	5.9	8	6.2	23	5.6
Nitrite (as NO2)	mg/l	APHA (23rd Edition) 4500-NO2-B 2017	BDL(DL:0.01)	0.02	0.02	0.02	0.02
Odour	---	APHA(23rd Edition)2150B ,2017	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B, 2017	25	82	20	70	55
Sulphate (as SO4)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	17	42	16	138	27
Temperature	°C	APHA 23 rd EDITION,2550 B,2017	25	25	25	25	25
Total Dissolved Solids (as TDS)	mg/l	APHA(23rd Edition) 2540C,2017	274	520	238	1032	434
pH value	----	APHA(23rd Edition) 4500-H-B ,2017	6.98	7.61	8.12	7.71	7.82
Orthophosphate	mg/l	APHA 22nd Edtn, 4500P-D,2017	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)
Sodium Adsorption Ratio (as SAR)	----	DIAGONISIS AND IMPROVEMENT OF SALINE AND ALKALINE SOIL	0.8	2.1	0.7	1.1	1.4
% Sodium	----	IS 2488 (Part 5)-1976; Rffm:2009	21.6	39.2	19.9	15.4	29.2

Summary Report
Month: May-2024

Sample Identified As : **Ground Water**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	(GW-11) Open Well No- 28 Talkuri	(GW-12) Open Well No- 43 Talkuri	(GW-13) Open Well No- 32 Damra	(GW-14) Open Well No- 39 Dhenua	(GW-15) Hand Pump Well No- 19 Dwairapara
			MSKGL/ED/2024-25/001962	MSKGL/ED/2024-25/001963	MSKGL/ED/2024-25/001964	MSKGL/ED/2024-25/001965	MSKGL/ED/2024-25/001966
Arsenic(as As)	mg/l	APHA (23rd Edition) 3114C (Hydride Generation),2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Bicarbonate	mg/l	APHA23rd Edtn,2320 B,2017	449	166	371	171	361
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	107	35	80	40	56
Carbonate	mg/l	TPM/MSK/E/1/X Methods of Analysis Soil Science society for America Part II ,pg 945	NIL	NIL	NIL	NIL	NIL
Chemical Oxygen Demand (COD)	mg/l	APHA (23rd Edition) 5220B, 2017	10	12	9.2	5.2	28
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B ,2017	112	34	72	28	56
Colour	Hazen	APHA (23rd Edition) 2120B ,2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Conductivity	us/cm	APHA (23rd Edition) 2510B,2017	1041	441	880	362	732
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.85	0.82	0.4	0.27	0.5
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	46	16	28	13	26
Mercury (as Hg)	mg/l	APHA 22rd Edtn, 3112B,2017	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nitrate (as NO3)	mg/l	APHA (23rd Edition) 4500- NO3-E, 2017	7.9	14	10	7.7	5.6
Nitrite (as NO2)	mg/l	APHA (23rd Edition) 4500-NO2-B 2017	0.03	0.02	BDL(DL:0.01)	0.03	BDL(DL:0.01)
Odour	---	APHA(23rd Edition)2150B ,2017	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B, 2017	60	35	65	17	60
Sulphate (as SO4)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	28	17	52	1.5	37
Temperature	°C	APHA 23 rd EDITION,2550 B,2017	25	25	25	25	25
Total Dissolved Solids (as TDS)	mg/l	APHA(23rd Edition) 2540C,2017	624	270	524	218	448
pH value	----	APHA(23rd Edition) 4500-H-B ,2017	7.83	7.32	7.6	8.06	7.9
Orthophosphate	mg/l	APHA 22nd Edtn, 4500P-D,2017	BDL(DL:0.15)	BDL(DL:0.15)	0.31	BDL(DL:0.15)	BDL(DL:0.15)
Sodium Adsorption Ratio (as SAR)	----	DIAGONISIS AND IMPROVEMENT OF SALINE AND ALKALINE SOIL	1.2	1.2	1.6	0.6	1.7
% Sodium	----	IS 2488 (Part 5)-1976; Rffm:2009	22	32.1	28.8	18.8	34.1

Summary Report
Month: May-2024

Sample Identified As : **Ground Water**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	(GW-16) Hand Pump Well No- S-38 Gopal Nagar	(GW-17) Open Well No- S-16 Bamuntora	(GW-18) Hand Pump Well No-S-15 Narayanpur Village	(GW-19) Open Well No-S-17 Iswarda Village	(GW-20) Open Well No-S-21 Bagjata Village
			MSKGL/ED/2024-25/001967	MSKGL/ED/2024-25/001968	MSKGL/ED/2024-25/001969	MSKGL/ED/2024-25/002037	MSKGL/ED/2024-25/002038
Arsenic(as As)	mg/l	APHA (23rd Edition) 3114C (Hydride Generation),2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Bicarbonate	mg/l	APHA23rd Edtn,2320 B,2017	425	405	439	244	439
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	104	102	8	61	150
Carbonate	mg/l	TPM/MSK/E/1/X Methods of Analysis Soil Science society for America Part II ,pg 945	NIL	NIL	NIL	NIL	NIL
Chemical Oxygen Demand (COD)	mg/l	APHA (23rd Edition) 5220B, 2017	5.6	5.2	6	5.6	6.8
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B ,2017	98	142	36	54	204
Colour	Hazen	APHA (23rd Edition) 2120B ,2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Conductivity	us/cm	APHA (23rd Edition) 2510B,2017	1050	1124	749	568	1741
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	0.49	0.32	0.46	0.42	0.44
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	42	28	1.9	18	45
Mercury (as Hg)	mg/l	APHA 22rd Edtn, 3112B,2017	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nitrate (as NO3)	mg/l	APHA (23rd Edition) 4500- NO3-E, 2017	29	24	6.1	14	70
Nitrite (as NO2)	mg/l	APHA (23rd Edition) 4500-NO2-B 2017	BDL(DL:0.01)	0.02	BDL(DL:0.01)	BDL(DL:0.01)	0.25
Odour	---	APHA(23rd Edition)2150B ,2017	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B, 2017	60	86	170	40	130
Sulphate (as SO4)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	44	39	6	15	163
Temperature	°C	APHA 23 rd EDITION,2550 B,2017	25	25	25	25	25
Total Dissolved Solids (as TDS)	mg/l	APHA(23rd Edition) 2540C,2017	634	660	474	352	1024
pH value	----	APHA(23rd Edition) 4500-H-B ,2017	7.8	7.7	8.23	7.79	7.69
Orthophosphate	mg/l	APHA 22nd Edtn, 4500P-D,2017	BDL(DL:0.15)	2.8	BDL(DL:0.15)	BDL(DL:0.15)	0.57
Sodium Adsorption Ratio (as SAR)	----	DIAGONISIS AND IMPROVEMENT OF SALINE AND ALKALINE SOIL	1.3	1.9	14	1.2	2.4
% Sodium	----	IS 2488 (Part 5)-1976; Rffm:2009	23	29.2	92.7	27.5	28.9

Summary Report
Month: May-2024

Sample Identified As : **Ground Water**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Unit	Test Method	(GW-21) Open Well No-S-8 Kechka Village	(GW-22) Open Well No-S-11 Chaukuri Village	(GW-23) Open Well No-S-23 Singhir	(GW-24) Open Well No-S-36 Majit	(GW-25) Open Well No-S-4 Krishnapur Village
			MSKGL/ED/2024- 25/002039	MSKGL/ED/2024- 25/002040	MSKGL/ED/2024- 25/002041	MSKGL/ED/2024- 25/002042	MSKGL/ED/2024- 25/002043
Arsenic(as As)	mg/l	APHA (23rd Edition) 3114C (Hydride Generation),2017	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)	BDL(DL:0.005)
Bicarbonate	mg/l	APHA23rd Edtn,2320 B,2017	322	303	317	356	395
Calcium (as Ca)	mg/l	APHA (23rd Edition) 3500 Ca B,2017	122	56	64	91	157
Carbonate	mg/l	TPM/MSK/E/1/X Methods of Analysis Soil Science society for America Part II ,pg 945	NIL	NIL	NIL	NIL	NIL
Chemical Oxygen Demand (COD)	mg/l	APHA (23rd Edition) 5220B, 2017	5.2	BDL(DL:4.0)	5.2	6	BDL(DL:4.0)
Chloride (as Cl)	mg/l	APHA (23rd Edition)4500-Cl B ,2017	168	24	52	72	400
Colour	Hazen	APHA (23rd Edition) 2120B ,2017	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)	BDL(DL:5.0)
Conductivity	us/cm	APHA (23rd Edition) 2510B,2017	1360	535	695	848	2390
Fluoride (as F)	mg/l	APHA (23rd Edition)4500 - F C/D, 2017	1.1	0.79	0.94	0.82	0.3
Magnesium (as Mg)	mg/l	APHA (23rd Edition) 3500 Mg B,2017	55	27	25	11	76
Mercury (as Hg)	mg/l	APHA 22rd Edtn, 3112B,2017	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)	BDL(DL:0.001)
Nitrate (as NO3)	mg/l	APHA (23rd Edition) 4500- NO3-E, 2017	52	8.9	6.2	12	11
Nitrite (as NO2)	mg/l	APHA (23rd Edition) 4500-NO2-B 2017	0.57	0.05	BDL(DL:0.01)	BDL(DL:0.01)	0.05
Odour	---	APHA(23rd Edition)2150B ,2017	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
Sodium (as Na)	mg/l	APHA (23rd Edition) 3500 Na B, 2017	80	23	50	69	250
Sulphate (as SO4)	mg/l	APHA (23rd Edition) 4500-SO4 E 2017	119	13	18	31	280
Temperature	°C	APHA 23 rd EDITION,2550 B,2017	25	25	25	25	25
Total Dissolved Solids (as TDS)	mg/l	APHA(23rd Edition) 2540C,2017	812	328	410	506	1414
pH value	----	APHA(23rd Edition) 4500-H-B ,2017	8.08	8.11	7.92	7.97	7.94
Orthophosphate	mg/l	APHA 22nd Edtn, 4500P-D,2017	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)	BDL(DL:0.15)
Sodium Adsorption Ratio (as SAR)	----	DIAGONISIS AND IMPROVEMENT OF SALINE AND ALKALINE SOIL	1.5	0.6	1.3	1.8	4.1
% Sodium	----	IS 2488 (Part 5)-1976; Rffm:2009	23	16.3	29	34.9	43.3

Appendix-G
Summary Report
Month: April -2024

Sample Identified As : Flue Gas (Gas Ganset)

Customer Name : Great Eastern Energy Corp. Ltd.

Address : M10 ADDA Industrial Estate Asansol West Bengal - 713305

Parameters(Units)	Method	Gas Generator – Well No.-40 (SI No-- 63189526)	Gas Generator – Well No.-08 (SI No-- 07399582)	Gas Generator – Well No.-06 (SI No-- 62925144)	Gas Generator – Well No.-24 (SI No-- 62632142)	Gas Generator – Well No.-24 (SI No— DAHM4044 46)	Gas Generator – Well No.-S-03 (SI No— 63242031)	Gas Generator – Well No.-S-02 (SI No— 62925149)
		MSKGL/ED /2024- 25/001219	MSKGL/ED /2024- 25/001239	MSKGL/ED /2024- 25/001240	MSKGL/ED/2 024- 25/001241	MSKGL/ED /2024- 25/001242	MSKGL/ED/2 024- 25/001243	MSKGL/ED/2 024- 25/001244
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	196	196	199	200	198	199	187
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	9.1	9.28	9.62	9.61	9.37	9.62	8.8
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.188	0.188	0.229	0.242	0.252	0.219	0.237
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.356	0.384	0.345	0.368	0.323	0.385	0.297
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0.006	<0.006	<0.007	<0.007	<0.006	<0.007	<0.006
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	563.2	621.5	487.3	533.6	745.2	655.3	712.3
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.356	0.384	0.345	0.368	0.323	0.385	0.297

Summary Report
Month: May-2024

Sample Identified As : Flue Gas (Gas Ganset)

Customer Name : Great Eastern Energy Corp. Ltd.

Address : M10 ADDA Industrial Estate Asansol West Bengal - 713305

Parameters(Units)	Method	Gas Generator – Well No.-22 (SI No-- 62925148)	Gas Generator – Well No.-29 (SI No-- 83180013)	Gas Generator – Well No.-52 (SI No-- 07399582)	Gas Generator – Well No.-43 (SI No-- 63180524)	Gas Generator – Well No.- S-9 (SI No-- 63180523)	Gas Generator – South GGS (SI No-- 63180099)	Gas Generator – South GGS (SI No-- 25374429)
		MSKGL/ED /2024- 25/001868	MSKGL/ED /2024- 25/001869	MSKGL/ED /2024- 25/001878	MSKGL/ED /2024- 25/001879	MSKGL/ED/2 024- 25/001880	MSKGL/ED /2024- 25/001881	MSKGL/ED/2024 -25/001882
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	190	180	192	190	193	188	867
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	9.15	8.75	9.48	9.17	9.4	9.24	11.47
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.301	0.317	0.408	0.382	0.355	0.315	0.406
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.5	0.444	0.567	0.428	0.427	0.482	0.501
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0. 002	<0. 001	<0. 002	<0. 002	<0. 002	<0. 002	<0. 001
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	508.43	616.91	583.22	514.51	514.61	503.8	512.1
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.5	0.444	0.567	0.428	0.427	0.482	0.501

Summary Report
Month: June-2024

Sample Identified As : **Flue Gas (Gas Genest)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Method	Gas Generator – Well No.-S-17 (SI No--62899398)	Gas Generator – Well No.-S-21 (SI No--83220012)	Gas Generator – Well No.-South GGS (SI No--25374428)	Gas Generator – Well No.-25 (SI No--63199390)	Gas Generator – Well No.-26 (SI No--62877936)	Gas Generator – Well No.-47 (SI No--70250008)	Gas Generator – Well No.-38 (SI No--70200006)
		MSKGL/ED /2024-25/002558	MSKGL/ED /2024-25/002559	MSKGL/ED/2 024-25/002560	MSKGL/ED /2024-25/002561	MSKGL/ED /2024-25/002589	MSKGL/ED /2024-25/002611	MSKGL/ED /2024-25/002616
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	187	180	206	179	177	177	185
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	9.11	8.98	10.99	9.07	8.70	8.77	9.22
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.24	0.214	0.06	0.159	0.195	0.166	0.185
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.305	0.243	0.088	0.315	0.271	0.231	0.247
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0.006	<0.006	<0.001	<0.006	<0.006	<0.006	<0.006
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	513.46	622.17	615.34	508.44	513.2	514.78	514.39
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.305	0.243	0.088	0.315	0.271	0.231	0.247

Summary Report
Month: July-2024

Sample Identified As : **Flue Gas (Gas Ganset)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal – 713305**

Parameters(Units)	Method	Gas Generator – Well No.-S-43 (SI No--63199392)	Gas Generator – Well No.-S-32 (SI No--63180525)	Gas Generator – Well No.-S-26 (SI No--63186098)	Gas Generator – Well No.-S-28 (SI No--63201784)	Gas Generator – Well No.-23 (SI No--62880490)	Gas Generator – Well No.-53 (SI No--63199389)	Gas Generator – Well No.-41 (SI No--DAH404442)	Gas Generator – Well No.-54 (SI No--63199385)
		MSKGL/ED /2024-25/003444	MSKGL/ED /2024-25/003445	MSKGL/ED/2024-25/003446	MSKGL/ED /2024-25/003447	MSKGL/ED /2024-25/003448	MSKGL/ED /2024-25/003449	MSKGL/ED/2024-25/003450	MSKGL/ED /2024-25/003452
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	209	206	196	200	197	255	201	161
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	9.91	9.93	8.9	9.56	8.86	9.31	9.84	7.27
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.376	0.376	0.328	0.294	0.257	0.425	0.174	0.281
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.266	0.389	0.205	0.242	0.272	0.378	0.154	0.206
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0.007	<0.007	<0.006	<0.007	<0.006	<0.008	<0.003	<0.005
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	284.9	218.3	218.8	219.4	264.1	220	269.7	266.3
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.266	0.389	0.205	0.242	0.272	0.378	0.154	0.206

Summary Report
Month: August-2024

Sample Identified As : Flue Gas (Gas Ganset)

Customer Name : Great Eastern Energy Corp. Ltd.

Address : M10 ADDA Industrial Estate Asansol West Bengal – 713305

Parameters(Units)	Method	GG 125 KVA (M-10 Office) SL No- DBHM402199	GG 125 KVA (M-10 Office) SI No- DXHM4077 16	GG 50 KVA (Well No- 07) SI No- 62865727	GG 50 KVA (Well No- 20) SI No- 62925145	GG 50 KVA (Well No- 49) SI No- 83210015	GG 50 KVA (Well No- 29) SI No- 62880108	GG 50 KVA (Well No- S- 18) SI No- 63180521	GG 50 KVA (Well No- S- 15) SI No- 62880489
		MSKGL/ED/2 024- 25/004260	MSKGL/ED /2024- 25/004262	MSKGL/E D/2024- 25/004263	MSKGL/ED /2024- 25/004279	MSKGL/ED /2024- 25/004280	MSKGL/ED /2024- 25/004281	MSKGL/ED /2024- 25/004282	MSKGL/ED /2024- 25/004283
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	176	165	171	162	160	182	174	185
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	8.49	8.04	8.27	7.69	7.81	8.94	8.6	9.53
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.118	0.077	0.170	0.253	0.227	0.198	0.173	0.211
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.133	0.132	0.267	0.344	0.362	0.339	0.366	0.312
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	<0.002	<0.002	<0.006	<0.005	<0.005	<0.006	<0.006	<0.006
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	700.87	755.17	746.58	744.84	756.53	764.6	702.84	705.15
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.133	0.132	0.267	0.344	0.362	0.339	0.366	0.312

Summary Report
Month: September-2024

Sample Identified As : **Flue Gas (Gas Ganset)**
Customer Name : **Great Eastern Energy Corp. Ltd.**
Address : **M10 ADDA Industrial Estate Asansol West Bengal - 713305**

Parameters(Units)	Method	GG Sl. No.- 63180083 (Well No-46)	GG Sl. No.- 63242030 (Well No- 18)	GG Sl. No.- 62925140 (Well No- 51)	GG Sl. No.- 69739714 (Well No- 13)	GG Sl. No.- 62865726 (Well No- 42)	GG Sl. No.- 62899399 (Well No-S- 40)	GG Sl. No.- 62877935 (Well No-S- 16)	GG Sl. No.- 30599511 (Well No-S- 11)
		MSKGL/ED/2 024- 25/004960	MSKGL/ED /2024- 25/004961	MSKGL/E D/2024- 25/004962	MSKGL/ED /2024- 25/004963	MSKGL/ED /2024- 25/004964	MSKGL/ED /2024- 25/004965	MSKGL/ED /2024- 25/004966	MSKGL/ED /2024- 25/004967
Quantity of Gas Flow (Nm3/hr)	EPA Part 2, 25.09.1996	174	204	190	180	193	163	181	191
Velocity of gas (m/sec.)	EPA Part 2, 25.09.1996	9.99	11.39	10.58	9.98	9.57	9.19	9.65	10.18
Concentration of Carbon Monoxide (g/kw-hr)	IS 13270:1992,Ref:2009	0.203	0.205	0.244	0.130	0.173	0.199	0.173	0.266
Concentration of Oxides of Nitrogen (g/kw-hr)	EPA Part-7	0.309	0.411	0.344	0.357	0.402	0.262	0.232	0.330
Concentration of Non-methane Hydro Carbon (g/kw-hr)	USEPA 18 - 25/09/1996	< 0.006	< 0.007	< 0.006	< 0.006	< 0.006	< 0.005	< 0.006	< 0.006
a) Concentration of Ethane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
b) Concentration of Propene (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
c) Concentration of n-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
d) Concentration of Iso-Butane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
e) Concentration of Pentane (ppm)	USEPA 18 - 25/09/1996	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
Concentration of methane Hydro Carbon (ppm)	USEPA 18 - 25/09/1996	697.37	750.2	718.34	734.77	753.02	773.04	715.37	684.01
Concentration of Nox + NMHC (g/kw-hr)	USEPA 18 - 25/09/1996	0.309	0.411	0.344	0.357	0.402	0.262	0.232	0.330

Appendix-H Feed Gas Quality Analysis Report



TC-6842

SGS Oil, Gas and Chemicals
SGS HOUSE,
A-77, WAGLE INDUSTRIAL ESTATE,
ROAD NO 16
NEAR PASSPORT OFFICE,
THANE WEST,
400604
email: ogclab.thane@sgs.com

Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
M10 ADDA Industrial Estate
Asansol
INDIA
713305

Certificate of Analysis TO24-001748.001

<p>PRODUCT DESCRIPTION: CBM GAS</p> <p>SAMPLE SOURCE: As Supplied</p> <p>SOURCE ID: DISCHARGE LINE</p> <p>LOCATION: West Bengal</p> <p>SAMPLE TYPE: As submitted</p> <p>CLIENT COMMENTS1: 11.40 AM</p> <p>CLIENT COMMENTS2: 12.43 BAR</p> <p>CLIENT COMMENTS3: THN/OGC/054</p> <p>DISPOSAL DAYS: IMMEDIATE</p> <p>PETROLEUM AND PRODUCTS: LPG/Propane/Butane</p> <p>SAMPLE CONTAINER: GAS CYLINDER</p> <p>SAMPLE QUANTITY: 500 ML</p> <p>WORK ORDER NO: GEECL/5100010021</p>	<p>GROUP : Petroleum and Products LPG/Propane/Butane</p> <p>CLIENT ID: NORTH GGS</p> <p>SGS ORDER N° : 200021672</p> <p>SAMPLE RECEIVED: 26/02/2024</p> <p>SAMPLE ANALYSED: 28/02/2024</p> <p>SAMPLE COLLECTED BY: SGS</p> <p>SAMPLE COLLECTED ON: 22/02/2024</p>
---	--

NABL Accredited Tests

METHOD	PROPERTY	RESULT	UNITS
ISO 6974 - Part 6	Determination of Nat. Gas Composition by GC using 3 Capillary Columns		
	Methane (CH4)	98.354	% Mole
	Propane (C3H8)	<0.001	% Mole
	Ethane (C2H6)	<0.001	% Mole
	iso-Butane (C4H10)	<0.001	% Mole
	n-Butane (C4H10)	<0.001	% Mole
	iso-Pentane (C5H12)	<0.001	% Mole
	n-Pentane (C5H12)	<0.001	% Mole
	n-Hexane (C6H14)	<0.001	% Mole
	Carbon Monoxide (CO)	<0.01	% Mole

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared

PANKAJ BHANDARE-Lab Supervisor
15032024 140TOR000205202



SGS Oil, Gas and Chemicals
 SGS HOUSE,
 A-77, WAGLE INDUSTRIAL ESTATE,
 ROAD NO 16
 NEAR PASSPORT OFFICE,
 THANE WEST,
 400604
 email: ogclab.thane@sgs.com



TC-6842

Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
 M10 ADDA Industrial Estate
 Asansol
 INDIA
 713305

Certificate of Analysis TO24-001748.001

NABL Accredited Tests

METHOD	PROPERTY	RESULT	UNITS
ISO 6974 - Part 6	Determination of Nat. Gas Composition by GC using 3 Capillary Columns		
	Carbon Dioxide (CO2)	0.315	% Mole
	Helium (He)	<0.01	% Mole
	Nitrogen (N2)	1.331	% Mole
	Oxygen (O2)	<0.01	% Mole
	Cyclohexane (C6H6)	<0.001	% Mole
DISCIPLINE: ASTM D6667	Chemical Total Sulfur (as H2S) §		<1 mg/m³

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgsgroup.in/Service-Terms> [Open URL] and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared

PANKAJ BHANDARE-Lab Supervisor

15032024 1400OR0000209202



SGS Oil, Gas and Chemicals
SGS HOUSE,
A-77, WAGLE INDUSTRIAL ESTATE,
ROAD NO 16
NEAR PASSPORT OFFICE,
THANE WEST,
400604
email: ogclab.thane@sgs.com

Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
M10 ADDA Industrial Estate
Asansol
INDIA
713305

Certificate of Analysis TO24-001748.001

Non-Accredited tests

METHOD	PROPERTY	RESULT	UNITS
DISCIPLINE:	Chemical		
ASTM D6667	Total Sulfur §	<1	mg/m ³
ASTM D5454	Dewpoint	-1.2	°C

REPORT COMMENT:

NOTE -

1. These samples are tested as per IS:15958
2. For CO₂, MDL is 0.01 %(v/v)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_e-document.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents a www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared

PANKAJ BHANDARE-Lab Supervisor
15032024 1400OR0000209202

Page 3 of 6



TC-6842

SGS Oil, Gas and Chemicals
 SGS HOUSE,
 A-77, WAGLE INDUSTRIAL ESTATE,
 ROAD NO 16
 NEAR PASSPORT OFFICE,
 THANE WEST,
 400604
 email: ogclab.thane@sgs.com

Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
 M10 ADDA Industrial Estate
 Asansol
 INDIA
 713305

Certificate of Analysis TO24-001748.002

PRODUCT DESCRIPTION:	CBM GAS	GROUP :	Petroleum and Products
SAMPLE SOURCE:	As Supplied	CLIENT ID:	LPG/Propane/Butane
SOURCE ID:	DISCHARGE LINE	SGS ORDER N° :	SOUTH GGS
LOCATION:	West Bengal	SAMPLE RECEIVED:	200021672
SAMPLE TYPE:	As submitted	SAMPLE ANALYSED:	26/02/2024
CLIENT COMMENTS1	01.35 PM	SAMPLE COLLECTED BY:	28/02/2024
CLIENT COMMENTS2	10.97 BAR	SAMPLE COLLECTED ON:	SGS
CLIENT COMMENTS3	THN/OGC/002		22/02/2024
DISPOSAL DAYS	IMMEDIATE		
PETROLEUM AND PRODUCTS	LPG/Propane/Butane		
SAMPLE CONTAINER	GAS CYLINDER		
SAMPLE QUANTITY	500 ML		
WORK ORDER NO	GEECL/5100010021		

NABL Accredited Tests

METHOD	PROPERTY	RESULT	UNITS
ISO 6974 - Part 6	Determination of Nat. Gas Composition by GC using 3 Capillary Columns		
	Methane (CH4)	98.793	% Mole
	Propane (C3H8)	<0.001	% Mole
	Ethane (C2H6)	<0.001	% Mole
	iso-Butane (C4H10)	<0.001	% Mole
	n-Butane (C4H10)	<0.001	% Mole
	iso-Pentane (C5H12)	<0.001	% Mole
	n-Pentane (C5H12)	<0.001	% Mole
	n-Hexane (C6H14)	<0.001	% Mole
	Carbon Monoxide (CO)	<0.01	% Mole

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared

PANKAJ BHANDARE-Lab Supervisor
 15032024 1400TOR0000209202



SGS Oil, Gas and Chemicals
 SGS HOUSE,
 A-77, WAGLE INDUSTRIAL ESTATE,
 ROAD NO 16
 NEAR PASSPORT OFFICE,
 THANE WEST,
 400604
 email: ogclab.thane@sgs.com



Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
 M10 ADDA Industrial Estate
 Asansol
 INDIA
 713305

Certificate of Analysis TO24-001748.002

NABL Accredited Tests

METHOD	PROPERTY	RESULT	UNITS
ISO 6974 - Part 6	Determination of Nat. Gas Composition by GC using 3 Capillary Columns		
	Carbon Dioxide (CO2)	0.231	% Mole
	Helium (He)	<0.01	% Mole
	Nitrogen (N2)	0.976	% Mole
	Oxygen (O2)	<0.01	% Mole
	Cyclohexane (C6H6)	<0.001	% Mole
DISCIPLINE: ASTM D6667	Chemical Total Sulfur (as H2S) §		<1 mg/m ³

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied, when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared

PANKAJ BHANDARE-Lab Supervisor
 15032024 1400OR0000209202



SGS Oil, Gas and Chemicals
SGS HOUSE,
A-77, WAGLE INDUSTRIAL ESTATE,
ROAD NO 16
NEAR PASSPORT OFFICE,
THANE WEST,
400604
email: ogclab.thane@sgs.com

Issue Date: 15/3/2024

GREAT EASTERN ENERGY CORPORATION LIMITED
M10 ADDA Industrial Estate
Asansol
INDIA
713305

Certificate of Analysis TO24-001748.002

Non-Accredited tests

METHOD	PROPERTY	RESULT	UNITS
DISCIPLINE:	Chemical		
ASTM D6667	Total Sulfur §	<1	mg/m ³
ASTM D5454	Dewpoint	-1.8	°C

****End of Analytical Results****


REPORT COMMENT:
NOTE -

1. These samples are tested as per IS:15958
2. For CO2, MDL is 0.01 %(v/v)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for xx days (in case of perishable items) and yy days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

No decision rule is applied when comparing the measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared


PANKAJ BHANDARE - Lab Supervisor
15032024 1400OR0000209202

Appendix-I
Long Term Subsidence Study Report

Consultancy Project Report

on

**Monitoring Land Subsidence and Time-series Analysis over the
Raniganj Region of West Bengal Using Satellite Remote Sensing
Technique**

Submitted to

Great Eastern Energy Corporation Ltd.
M-10 Adda Industrial Area
Asansol-713305

Submitted by

Dr. Chandrakanta Ojha
Assistant Professor
Satellite Remote Sensing Laboratory (SRSLab),
Department of Earth and Environmental Sciences (EES), IISER Mohali
Email ID: chandrakanta@iisermohali.ac.in



Indian Institute of Science Education and Research (IISER), Mohali
Knowledge City, Sector 81, Mohali, Punjab 140306, India
<https://www.iisermohali.ac.in/>

(23 November 2024)

1. Executive Summary

This study analyzes land deformation patterns and displacement time series in the Raniganj region of West Bengal (WB) using Synthetic Aperture Radar (SAR) data from the Sentinel-1A satellite provided by the European Space Agency (ESA). The analysis explored an advanced SBAS-based multi-temporal interferometric (MT-InSAR) technique, utilizing 141 C-band Sentinel-1 ascending imagery collected over the past five years (June 2019 to May 2024) to generate a velocity map and deformation time series. Additionally, the study incorporates well-depth data from 156 stations to assess the spatial distribution and magnitude of ground displacement. The results reveal deformation in areas south of the Damodar River, with cumulative displacements exceeding 80 mm in some locations, including a subsidence rate of up to 20 mm/year. In contrast, the northern side of the river exhibits minimal subsidence and notable upliftment, with deformation rates of up to 12 mm/year in certain areas. A detailed comparison of the InSAR-derived deformation data with the well-depth measurements shows that the upper side of the river experiences less deformation than the southern side. The southern side, characterized by relatively shallower wells, displays more subsidence, while the northern side, with deeper wells, shows lower deformation rates. Overall, the combined analysis of InSAR velocity data and well-depth measurements provides valuable insights into the land surface dynamics of the Raniganj region.

2. Introduction

Background

Rapid urbanization, increasing anthropogenic activities, and frequent climate change increase the demand for groundwater resources globally. One-fourth of the Earth's population relies on groundwater as a source of fresh water for irrigation and daily purposes (Famiglietti, 2014). Over-drafting of underground resources from an aquifer system resulting a decline in the head levels and is responsible for the induced land subsidence at local to regional scales (Galloway and Burbey, 2011; Russo and Lall, 2017). Approximately 80% of the land subsidence cases around the world are due to anthropogenic activities, and 60% of these are due to groundwater over-extraction (Bagheri-Gavkosh et al., 2021). These days, groundwater depletion and associated deformation phenomena have been significantly observed in several regions across the globe, including cities like Mexico City (Khorrami et al., 2023), Central Valley of California (Ojha et al., 2018), Spain (Notti et al., 2016), and New Delhi (Garg et al., 2022). India is a prominent user of groundwater around the world. The total groundwater extracted in 2020 is around 244.92 billion cubic meters, of which around 90% is used for irrigation purposes (CGWB-India, 2002). In the last decades, cities and states in India such as Kolkata, Delhi NCR, Lucknow, Punjab, Rajasthan, Haryana, and other regions in the Indo-Gangetic Plain (IGP) witnessed a significant amount of groundwater depletion and associated land subsidence in the area (Awasthi et al., 2022; Baweja et al., 2017; Bonsor et al., 2017; Janardhanan et al., 2023; MacDonald et al., 2016; Panda et al., 2021; Singla et al., 2022).

The study area Raniganj in West Bengal is a major coal-producing region in India (Patra et al., 2022). Due to prolonged underground coal mining activities, the region has been experiencing significant land subsidence and downward movement of the ground surface over the last two decades (Ghosh et al., 2024; Karfa and Tah, 2019; Sarkar, 2017). However, improper water management and monitoring strategy, lack of early warning mechanisms for groundwater monitoring, and associated land subsidence will have a more significant impact on the socio-

economic condition of the region in the near future and may lead further to infrastructure damage. The Raniganj South CBM block, covering an area of 210 sq., has a total of 156 drilled wells since 2007, covering 75 sq. km, with 66 wells actively used. In this context, this research survey focused on precisely measuring the land subsidence over the Raniganj South CBM block by exploring Sentinel-1 data from the European Space Agency using an advanced radar remote sensing technique. This may be further used to analyze how the drafting of currently active drilled wells affects the local scale subsidence and displacement time series of the last five years (June 2019-May 2024) over the study area.

Objectives

The major objectives of the project are outlined as follows:

- Aims to explore a previous five-year Sentinel-1 SAR data archive from June 2019 to May 2024 over the Raniganj region in West Bengal for deformation analysis
- SAR data will be processed using an advanced multi-temporal radar interferometry (MT-InSAR) technique to generate a high-resolution velocity map and displacement time series over the study region
- Analyse the InSAR-derived deformation data with the drilled well data products available over the region

2. Datasets




Figure 1. An overview map of the Raniganj region. A) Shows the location of the study on a national scale; B) Displays Sentinel-1 ascending footprint over the Ranging area; C) Highlights the zoomed view of the South Raniganj region. The background overlaid street map is obtained from ESRI.

In this study, we analyze Sentinel-1 imagery and 156 well station data in the South Raniganj region of West Bengal (WB). For land deformation analysis, we utilize 141 C-band Synthetic Aperture Radar (SAR) images from the Sentinel-1A satellite provided by the European Space Agency (ESA). These images, with ascending orbital geometry, span the observation period

from June 2019 to April 2024 (Figure 1). The analysis specifically focuses on sub-swath-3, which covers the study area for multi-temporal InSAR processing. The detailed information for the Sentinel-1 SAR dataset is provided in the table below.

Table-1 C-band Sentinel-1 A data products over the study area

SAR sensors and orbits	Sentinel-1 and Ascending track
Acquisition period	11/06/2019 - 03/05//2024
SAR images and polarization	141 and VV
Selected interferograms	586
Spatial resolution	40 m x 40 m
Multi-look factors (Range x Azimuth)	2 x 8
Incidence angle	37 degree
Satellite revisiting time	12 days
Spatiotemporal baselines thresholds	50 m x 100 days
Reference Image	03/03/2022
Total data volume generated	~ 2.4 Terabytes
Analysed pixels over the study area	2,56,608 (out of total ~1.5 million)

3. Methodology

Land subsidence can be precisely measured using the multi-temporal Interferometric Synthetic Aperture Radar (InSAR) technique, which offers accuracy in the millimetre to centimetre range. In this study, we apply an advanced multi-temporal InSAR algorithm to process C-band Sentinel-1 ascending orbit SAR data from June 2019 to May 2024 over the Raniganj region in West Bengal. The analysis utilizes the GMTSAR software package, which is based on the Small Baseline Subset (SBAS) technique and processes a time-series data stack. GMTSAR is an open-source InSAR processing tool that generates interferograms using Generic Mapping Tools (GMT). The SBAS method is employed to produce velocity and displacement time series along the line of sight (LOS). Each interferogram includes phase contributions from surface deformation, topography, atmospheric delay, orbital phase, and noise. Several phase correction techniques are applied to the interferogram, followed by co-registration and phase unwrapping to isolate the phase components associated with surface deformation. The Shuttle Radar Topography Mission (SRTM) digital elevation model (DEM) with a 1-arc second (30-meter) spatial resolution is used to remove the topographic phase. The corrected interferogram stack is then analyzed using a least-squares inversion approach to derive LOS velocity, displacement time series, and error uncertainties. To obtain vertical land motion, the LOS velocity is projected along the vertical direction using a unit vector projection approach, generating vertical displacement time series for further investigation. For comparative analysis between the InSAR-derived velocity map and well-depth data, we select a 100-meter radius around each drill station, retrieve the InSAR pixels within this region, and calculate the average velocity for those pixels. The results are discussed in the following section.




Figure 2. A) InSAR-derived vertical velocity map of Sentine-1A from June 2019 to May 2024 over the Raniganj South block region in West Bengal. The colorbar represents the maximum and minimum velocity ranges from +20 to -20 mm/year. The positive and negative values correspond to surface upliftment and subsidence, respectively. Z1, Z2, and Z3 are the zoomed view maps of certain locations highlighted by dotted boxes over Fig.2A.

4. Results and Discussion

Figure 2 shows the vertical velocity map of the Raniganj area in West Bengal, derived from Sentinel-1 data spanning June 2019 to May 2024. In this context, negative and positive velocity values correspond to subsidence and uplift, respectively, represented by red and blue colors. Zero values indicate stable areas, highlighted by green pixels. The velocity map shows subsidence in the southwest and eastern parts of the study area, occurring at rates of 15-20 mm/year. In contrast, the northern region exhibits upliftment, with rates ranging from 10-20 mm/year. A distinct subsidence zone, with a rate of 16 mm/year, is observed near the Damodar River in the central part of the study area. For improved visualization of the deformation pattern across the region, we present three zoomed-in areas marked by Z1, Z2, and Z3 square-dotted boxes at different locations (see Fig. 2). Zoomed Z1 and Z2 areas are along the rivers passed through the region and Z3 is the zoomed view over the west part of the study area. The zoomed-in Z1 and Z2 areas are located along the rivers that pass through the region, while Z3 focuses on the western part of the region.




Figure 3. Shows the displacement time series at five locations over the study region, D1 to D5, as highlighted in Fig.2A.

To analyze the deformation patterns in the Raniganj region over the past five years, time series were plotted for five selected locations (D1–D5), as shown in Figures 2 and 3. The time series reveals that pixels at D1 and D2, located south of the Damodar River, experienced cumulative displacements of approximately 80 mm and 60 mm, respectively, over the five-year period. The northern locations (D3 and D4) exhibited displacements of approximately 10 mm and 20 mm, respectively.




Figure 4. Root mean square (RMS) error of the InSAR-derived velocity map, showing an RMS error of less than 1 mm/yr.

To further assess the reliability of the velocity maps, we generated an error uncertainty map by calculating the root mean square error (RMSE) for each InSAR pixel, as shown in Figure 4. The maximum RMSE value observed was 0.96 mm/year in the western part of the region. In comparison, other areas typically showed RMSE values below 0.4 mm/year, further confirming the accuracy of the velocity results across the study region.

Figure 5 shows a comparative analysis between the InSAR-derived deformation results with existing well-depth data (in meters below ground level) for 156 wells across the study region, primarily located on both sides of the river. The northern side of the river has deeper wells, ranging from 800 to 1400 meters (see Fig. 5B), with velocity variations of less than 10 mm/year of uplift (see Fig. 5A). In contrast, the southern side features shallower wells, ranging from 700 to 1100 meters. It exhibits a subsidence pattern of up to 18 mm/year (see Figs. 5A and 5B). However, the underlying mechanisms driving such variation can be better understood by detailed examining and analysing the lithology and geomorphology of the study region.




Figure 5. Displays InSAR velocity vs. well depth. A) Shows the InSAR velocity at various well locations for a comparative analysis with drilled data; B) Well depth data for 156 stations, measured in meters below ground level (mbgl). Red circles represent deeper wells, while blue circles indicate shallower wells relative to the ground surface.

5. Conclusion

- The study provides a detailed analysis of surface deformation patterns in the Raniganj South CBM Block, West Bengal, using 141 C-band Sentinel-1A SAR satellite images collected over five years (2019–2024) alongside well-depth data from 156 monitoring stations.
- The results show a maximum subsidence rate of up to 20 mm/year in the southern part of the Damodar River. At the same time, the northern area displays lower subsidence rates, in some regions, upward movements reach up to 20 mm/year.
- A comparison of InSAR-derived deformation data with well-depth measurements indicates that the southern region, with relatively shallower wells, experiences more subsidence. In contrast, the northern region, characterized by deeper wells, shows lower deformation rates.
- GEECL reported that the extraction of over 60 billion cubic feet (cf) of gas over 17 years, with higher recovery rates in the northern part of the block compared to the south.

This indicates that the CBM recovery may have a lower impact on land subsidence in the northern region.

- The southern area may be unexplored, and the cause of subsidence up to 20 mm/year could be due to various factors, including active coal mining, underground resource extraction, and infrastructure activities, which need to be examined and analyzed further.
- Land deformation is influenced by both seasonal and long-term factors. Seasonal deformation is primarily associated with regional rainfall patterns. However, long-term subsidence can result from both natural and anthropogenic activities, including excessive underground resource extraction, infrastructure development, seismic activity, etc.

References

- Awasthi, S. et al., 2022. Analyzing urbanization induced groundwater stress and land deformation using time-series Sentinel-1 datasets applying PSInSAR approach. 844: 157103.
- Bagheri-Gavkosh, M. et al., 2021. Land subsidence: A global challenge. 778: 146193.
- Baweja, S., Aggarwal, R., Brar, M., Lal, R., 2017. Groundwater depletion in Punjab, India. Encyclopedia of Soil Science, 3rd 5. DOI:10.1081/E-ESS3-120052901
- Bonsor, H. et al., 2017. Hydrogeological typologies of the Indo-Gangetic basin alluvial aquifer, South Asia. J Hydrogeology Journal, 25(5): 1377.
- CGWB-India, 2002. Central Ground Water Board: Master plan for artificial recharge to groundwater in India, Ministry of Water Resources, Govt. of India New Delhi.
- Famiglietti, J.S., 2014. The global groundwater crisis. Nature Climate Change, 4(11): 945-948. DOI:10.1038/nclimate2425
- Galloway, D.L., Burbey, T.J., 2011. Regional land subsidence accompanying groundwater extraction. Hydrogeology Journal, 19(8): 1459-1486.
- Garg, S., Motagh, M., Indu, J., Karanam, V., 2022. Tracking hidden crisis in India's capital from space: implications of unsustainable groundwater use. Scientific reports, 12(1): 651. DOI:10.1038/s41598-021-04193-9
- Ghosh, D. et al., 2024. Surface deformation monitoring of Raniganj coalfield, India, using advanced InSAR and DGPS. 15(1): 2375546.
- Janardhanan, S., Nair, A.S., Indu, J., Pagendam, D., Kaushika, G.S., 2023. Estimation of groundwater storage loss for the Indian Ganga Basin using multiple lines of evidence. Scientific reports, 13(1): 1797. DOI:10.1038/s41598-023-28615-y
- Karfa, C., Tah, S.J.I.J.o.R.i.A.T., 2019. COAL mine fire and temporal change in landuse landcover pattern of Raniganj Coal Field Areas in West Bengal using Rs and Gis technique. 7(1): 18-31.
- Khorrami, M. et al., 2023. Groundwater Volume Loss in Mexico City Constrained by InSAR and GRACE Observations and Mechanical Models. 50(5): e2022GL101962. DOI:<https://doi.org/10.1029/2022GL101962>
- MacDonald, A.M. et al., 2016. Groundwater quality and depletion in the Indo-Gangetic Basin mapped from in situ observations. Nature Geoscience, 9(10): 762-766. DOI:10.1038/ngeo2791
- Notti, D. et al., 2016. Lithological control of land subsidence induced by groundwater withdrawal in new urban areas (Granada Basin, SE Spain). Multiband DInSAR monitoring. 30(13): 2317-2331.
- Ojha, C., Shirzaei, M., Werth, S., Argus, D.F., Farr, T.G., 2018. Sustained Groundwater Loss in California's Central Valley Exacerbated by Intense Drought Periods. Water resources research, 54(7): 4449-4460. DOI:<https://doi.org/10.1029/2017WR022250>
- Panda, D.K., Ambast, S.K., Shamsudduha, M., 2021. Groundwater depletion in northern India: Impacts of the sub-regional anthropogenic land-use, socio-politics and changing climate. Hydrological Processes, 35(2): e14003. DOI:<https://doi.org/10.1002/hyp.14003>
- Patra, T. et al., 2022. Evolution of opencast mines in the raniganj coalfield (India): An assessment through multi-temporal satellite data. 98(3): 387-394.

- Russo, T.A., Lall, U., 2017. Depletion and response of deep groundwater to climate-induced pumping variability. *Nature Geoscience*, 10(2): 105-108. DOI:10.1038/ngeo2883
- Sarkar, A., 2017. Remote Sensing Approach To Define Landscape Dynamics In Raniganj Coalfield Area Through Trend Line Analysis.
- Singla, C., Aggarwal, R., Kaur, S., 2022. Groundwater decline in Central Punjab - Is it a warning? *Groundwater for Sustainable Development*, 16: 100718. DOI:<https://doi.org/10.1016/j.gsd.2021.100718>